

https://www.phoenixcontact.com/us/products/0201414



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Insertion bridge, pitch: 36 mm, number of positions: 3, color: gray

Commercial data

Item number	0201414
Packing unit	10 pc
Minimum order quantity	1 pc
Sales key	BE19
Product key	BE1Z2X
Catalog page	Page 198 (C-1-2019)
GTIN	4017918098940
Weight per piece (including packing)	237.56 g
Weight per piece (excluding packing)	232.978 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/us/products/0201414



Technical data

Product properties

Product type	Insertion bridge
Number of positions	3
Pitch	36 mm

Dimensions

Pitch	36 mm

Material specifications

Color	gray (RAL 7042)
Material	Copper
Insulating material	PA

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C 105 °C
Ambient temperature (storage/transport)	-25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C 70 °C
Ambient temperature (actuation)	-5 °C 70 °C
Permissible humidity (storage/transport)	30 % 70 %

Mounting

Mounting type	Screw mounting
---------------	----------------



https://www.phoenixcontact.com/us/products/0201414



Classifications

ECLASS

	ECLASS-11.0	27141140
	ECLASS-12.0	27141140
	ECLASS-13.0	27250303
ETIM		
	ETIM 9.0	EC000489
UN	ISPSC	

UNSPSC 21.0	39121400
-------------	----------



https://www.phoenixcontact.com/us/products/0201414



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com