0207146

https://www.phoenixcontact.com/us/products/0207146



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Insertion bridge, 3-pos., fully insulated



### Commercial data

Item number	0207146
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BE19
Product key	BE1Z2X
GTIN	4017918098193
Weight per piece (including packing)	42.53 g
Weight per piece (excluding packing)	42.5 g
Customs tariff number	85366990
Country of origin	PL

0207146

https://www.phoenixcontact.com/us/products/0207146



## Technical data

#### Product properties

Product type	Insertion bridge
Number of positions	3
Pitch	25 mm

#### Dimensions

Pitch	25 mm

#### Material specifications

Color	gray (RAL 7042)
Material	Copper
Insulating material	PA

#### Mounting

Mounting type	Screw mounting
	, and the second s

0207146

https://www.phoenixcontact.com/us/products/0207146



## Classifications

#### ECLASS

	ECLASS-11.0	27141140	
ETIM			
	ETIM 8.0	EC000489	
UNSPSC			
	UNSPSC 21.0	39121400	

0207146

https://www.phoenixcontact.com/us/products/0207146



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com