

PS-IH RD - Insulating sleeve



0311579

<https://www.phoenixcontact.com/pc/products/0311579>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Insulating sleeve, number of positions: 1, color: red

Commercial data

Item number	0311579
Packing unit	10 pc
Minimum order quantity	10 pc
Product key	BE1Z3X
Catalog page	Page 509 (C-3-2015)
GTIN	4017918001513
Weight per piece (including packing)	0.73 g
Weight per piece (excluding packing)	0.73 g
Customs tariff number	85472000
Country of origin	DE

PS-IH RD - Insulating sleeve



0311579

<https://www.phoenixcontact.com/pc/products/0311579>

Technical data

Product properties

Product type	Insulating sleeve
Number of positions	1

Data management status

Article revision	00
------------------	----

Connection data

Connection method	Spring-cage connection
-------------------	------------------------

Dimensions

Width	6 mm
Height	15 mm
Pin diameter	6.5 mm

Material specifications

Color	red
Flammability rating according to UL 94	V2
Contact material	Polyamide PA non-reinforced, silver-plated brass

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
---------------------------------	-------------------

PS-IH RD - Insulating sleeve



0311579
<https://www.phoenixcontact.com/pc/products/0311579>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com