

https://www.phoenixcontact.com/us/products/0360025



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Bridge bar, pitch: 8.2 mm, number of positions: 4, color: silver

### Commercial data

Item number	0360025
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE19
Product key	BE1Z3X
Catalog page	Page 525 (C-1-2019)
GTIN	4017918001759
Weight per piece (including packing)	11.26 g
Weight per piece (excluding packing)	11.06 g
Customs tariff number	85369095
Country of origin	PL



https://www.phoenixcontact.com/us/products/0360025



## Technical data

### Product properties

Product type	Bridge bar
Number of positions	4
Pitch	8.2 mm
Potentials	1

#### Connection data

#### **Dimensions**

### Material specifications

Color	silver-colored
Material	Copper

#### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C 105 °C
Ambient temperature (storage/transport)	-25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C 70 °C
Ambient temperature (actuation)	-5 °C 70 °C
Permissible humidity (storage/transport)	30 % 70 %

## Mounting

Mounting type	Screw mounting
---------------	----------------



https://www.phoenixcontact.com/us/products/0360025



## Classifications

#### **ECLASS**

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303
-TIM	

### **ETIM**

|--|

### **UNSPSC**



https://www.phoenixcontact.com/us/products/0360025



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com