

https://www.phoenixcontact.com/us/products/0803365



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (20x8), length: 0.166 m, width: 114 mm, height: 11.5 mm



### Commercial data

Item number	0803365
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG03
Product key	BG122Z
Catalog page	Page 36 (C-3-2019)
GTIN	4055626042053
Weight per piece (including packing)	401.7 g
Weight per piece (excluding packing)	401 g
Customs tariff number	84439990
Country of origin	DE



https://www.phoenixcontact.com/us/products/0803365



### Technical data

### Product properties

	Product type	Magazine		
Dimensions				
	Width	114 mm		
	Height	11.5 mm		
	Depth	9.5 mm		
	Length	166 mm		
Material specifications				
	RoHS compliant	yes		

### Environmental and real-life conditions

#### Ambient conditions

Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in
	the original packaging is recommended.



https://www.phoenixcontact.com/us/products/0803365



### Classifications

#### **ECLASS**

	ECLASS-11.0	19140615
	ECLASS-12.0	19140615
	ECLASS-13.0	19140615
ETIM		
	ETIM 9.0	EC001675

### **UNSPSC**

UNSPSC 21.0	43211600
-------------	----------



https://www.phoenixcontact.com/us/products/0803365



### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com