

https://www.phoenixcontact.com/us/products/0828491



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Marker card, can be ordered: by card, white, labeled according to customer specifications, mounting type: snap into tall marker groove, snap into flat marker groove, for terminal block width: 10 mm



Commercial data

Item number	0828491
Packing unit	1 pc
Minimum order quantity	50 pc
Note	Made to order (non-returnable)
Sales key	BG24
Product key	BG8113
GTIN	4046356512626
Weight per piece (including packing)	7.801 g
Weight per piece (excluding packing)	7.801 g
Customs tariff number	49119900
Country of origin	DE



https://www.phoenixcontact.com/us/products/0828491



Technical data

Product properties

Product type	Labeled terminal marker
Pitch	10 mm
Туре	flat
Data management status	
Article revision	02

Mounting

Mounting type	snap into tall marker groove
---------------	------------------------------

Material specifications

Color	white (RAL 9010)
Material	cellulose acetate

Environmental and real-life conditions

Ambient conditions

Dimensions

Width	10.1 mm
Length	6 mm
Pitch	10 mm

Standards and regulations

Wipe resistance	DIN 30646
	DIN VDE 0611

Notes


General	labeled according to customer specifications
---------	--

0828491

https://www.phoenixcontact.com/us/products/0828491



Drawings



① Horizontal

② Vertical



https://www.phoenixcontact.com/us/products/0828491



Classifications

ECLASS

ECLASS-11.0	27281101
ECLASS-12.0	27281101
ECLASS-13.0	27281101
ETIM	
ETIM 9.0	EC000761
LINIODO	

UNSPSC 21.0	39131500



https://www.phoenixcontact.com/us/products/0828491



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com