


0829187

https://www.phoenixcontact.com/us/products/0829187

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Marker for terminal blocks, Sheet, blue, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, for terminal block width: 4.2 mm, lettering field size: 3.4 x 4.7 mm, Number of individual labels: 90

Your advantages

- The UCT-TM... UniCard labeling range includes markers for Phoenix Contact products with tall and flat marker grooves, e.g. terminals
- · The markers, which are supplied in uniform sheets, can be marked quickly, easily, and precisely using the card printers
- · The sheets provide additional space for project information and function text that can be helpful during further assembly
- · The multi-section marking strips are easy to fit and can be easily separated if required
- · Marking service: Phoenix Contact can custom-mark all UniCard markers according to your specifications

Commercial data

Item number	0829187
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BG07
Product key	BG2118
Catalog page	Page 134 (C-3-2019)
GTIN	4046356595735
Weight per piece (including packing)	10.98 g
Weight per piece (excluding packing)	9.2 g
Customs tariff number	39269097
Country of origin	PL



Thermal transfer for sheets and cards, UV LED technology, direct

0829187

https://www.phoenixcontact.com/us/products/0829187

Technical data

Notes

	General	Can be labeled via thermal transfer	
Pr	Product properties		
	Product type	Terminal marking	
	Pitch	4.2 mm	
	Туре	flat	
	Marking		
	Number of individual labels	90	
	Number of individual labels per row	15	

Dimensions

Identification technology

Width	3.6 mm
Text field width	3.40 mm
Height	1.64 mm
Text field height	4.70 mm
Length	5 mm
Pitch	4.2 mm

laser marking

Material specifications

RoHS compliant	yes
Color	blue
Material	PC
Flammability rating according to UL 94	V0
Relative insulation material temperature index (Elec., UL 746 B)	130 °C
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Components	free from silicone and halogen

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed
UV resistance	
Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h

Wipe resistance of inscriptions



0829187

https://www.phoenixcontact.com/us/products/0829187

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
Isopropyl [CAS No. 67-63-0]	Test passed
n-Hexane [CAS No. 110-54-3]	Test passed
Water + Petroleum ether [CAS No. 64742-82-1]	Test passed
esting in a condensation changing climate in the presence of sulfur did	oxide
Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2
alt spray test	
Specification	DIN EN 60068-2-11:2000-02
Result	Test passed
mbient conditions	
Ambient temperature (operation)	-40 °C 120 °C
Recommended storage conditions	$23\ ^{\circ}\text{C}/50\ \%$ relative humidity. Storage in a dry and dark place in the original packaging is recommended.
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %
ndards and regulations	
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
unting	
Mounting type	snapped



0829187

https://www.phoenixcontact.com/us/products/0829187

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27281101
	ECLASS-12.0	27281101
	ECLASS-13.0	27281101
ETIM		
	IIVI	
	ETIM 9.0	EC000761
UN	ISPSC	

39131500



0829187

https://www.phoenixcontact.com/us/products/0829187

Environmental product compliance

Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%



0829187

https://www.phoenixcontact.com/us/products/0829187

Accessories

THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

https://www.phoenixcontact.com/us/products/1085267



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM.. sheets and magazines for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

THERMOMARK PRIME - Thermal transfer printer

5148888

https://www.phoenixcontact.com/us/products/5148888



Mobile thermal transfer printer for card materials, including power supply unit, Euro/US power cable, and USB cable. User manual printed in German and English. Magazine for UCT-TM... sheets and magazine for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon cartridge = 70 m



0829187

https://www.phoenixcontact.com/us/products/0829187

BLUEMARK ID - Printer

1003334

https://www.phoenixcontact.com/us/products/1003334



Monochrome printer with UV LED technology and integrated "MARKING system app" identification software. 7″ touch color display for printing plastic tags in UC, UCT, US, and UM format, as well as metal labels.

BLUEMARK ID COLOR - Printer

1002329

https://www.phoenixcontact.com/us/products/1002329



CMYK multicolor printer with UV LED technology, with integrated "MARKING system app" identification software, 7″ touch color display for printing plastic tags in UC, UCT, and UM format, as well as metal labels.



0829187

https://www.phoenixcontact.com/us/products/0829187

TOPMARK NEO - Laser marker

1012015

https://www.phoenixcontact.com/us/products/1012015



Laser marking system for the efficient marking of metal or plastic marking material from the LS..., UCT..., UC.../PP..., UM... product families.

THERMOMARK-RIBBON 110/50-TC - Ink ribbon

0801384

https://www.phoenixcontact.com/us/products/0801384



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 50 m, roll length: 50 m, width: 110 mm, color: black



0829187

https://www.phoenixcontact.com/us/products/0829187

THERMOMARK-RIBBON 110-TC - Ink ribbon

0801371

https://www.phoenixcontact.com/us/products/0801371



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 300 m, roll length: 300 m, width: 110 mm, color: black

TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

https://www.phoenixcontact.com/us/products/0803374

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. .., US..., and UM..., length: 70 m, roll length: 70 m, width: 110 mm, color: black





0829187

https://www.phoenixcontact.com/us/products/0829187

BM ID-CARTR. BK - Ink cartridge

1044345

https://www.phoenixcontact.com/us/products/1044345



Replacement UV fluid, 23 ml, color: black

BM ID-CARTR. CY - Ink cartridge

1044346

https://www.phoenixcontact.com/us/products/1044346



Replacement UV fluid, 23 ml, color: cyan



0829187

https://www.phoenixcontact.com/us/products/0829187

BM ID-CARTR. YE - Ink cartridge

1044348

https://www.phoenixcontact.com/us/products/1044348



Replacement UV fluid, 23 ml, color: yellow

BLUEMARK CLED-FLUID-CARTR. - Ink cartridge

5146662

https://www.phoenixcontact.com/us/products/5146662

Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge





0829187

https://www.phoenixcontact.com/us/products/0829187

BLUEMARK FLUID-CARTRIDGE - Ink cartridge

5147421

https://www.phoenixcontact.com/us/products/5147421

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



TMP-UCT-MAG2 - Magazine

0803343

https://www.phoenixcontact.com/us/products/0803343

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-TMF..., length: 0.166 m, width: 114 mm, height: 11.5 mm





0829187

https://www.phoenixcontact.com/us/products/0829187

BM ID-MAG20 - Magazine

1044356

https://www.phoenixcontact.com/us/products/1044356



Infeed magazine for accommodating a max. of 20 UniCard sheets

BM ID-MAG40 - Magazine

1044357

https://www.phoenixcontact.com/us/products/1044357



Infeed magazine for accommodating a maxi. of 40 UniCard sheets



0829187


https://www.phoenixcontact.com/us/products/0829187

TOPMARK LASER-MAG UCT-A - Magazine

0803141

https://www.phoenixcontact.com/us/products/0803141

Magazine for the TOPMARK LASER, for accommodating UCT material automatically



TOPMARK LASER-MAG UCT-M - Magazine

0803143

https://www.phoenixcontact.com/us/products/0803143

Magazine for the TOPMARK LASER, for accommodating UCT material manually





0829187

https://www.phoenixcontact.com/us/products/0829187

THERMOMARK CARD - Thermal transfer printer

5146464

https://www.phoenixcontact.com/us/products/5146464



Thermal transfer printer for cards

BLUEMARK CLED - Printer

5147999

https://www.phoenixcontact.com/us/products/5147999



Printers with LED-UV technology for printing plastic labels in UniCard format.



0829187

https://www.phoenixcontact.com/us/products/0829187

TOPMARK LASER US - Laser marker

0803297

https://www.phoenixcontact.com/us/products/0803297



Laser marker and MARKING NOTEBOOK with English operating system and English keyboard, incl. CLIP-PROJECT PROFESSIONAL software and installed drivers, user manual, sheet magazine, card magazine, and 120 V extraction unit

THERMOMARK CARD-UCT-MAG2 - Magazine

5146563

https://www.phoenixcontact.com/us/products/5146563

Magazine for the THERMOMARK CARD printer, for accommodating UCT sheets (UCT-TMF...)



Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com