#### 0829543

https://www.phoenixcontact.com/in/products/0829543

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Ink ribbon, length: 300 m, roll length: 300 m, width: 110 mm, color: red

## Commercial data

Item number	0829543
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG1
Product key	BG1223
Catalog page	Page 36 (C-5-2015)
GTIN	4046356608800
Weight per piece (including packing)	361 g
Weight per piece (excluding packing)	322 g
Customs tariff number	96121010
Country of origin	FR

PHENIX

0829543

https://www.phoenixcontact.com/in/products/0829543



## Technical data

### Product properties

Product type	Ink ribbon		
Marking			
Marking			
Identification technology	Thermal transfer		
Dimensions			
Width	110 mm		
Length	300 m		
Length of roll	300 m		
Material specifications			
Color	red		
Material	Polyester		

### Environmental and real-life conditions

Ambient conditions		
Recommended ambient temperature (storage/transport)	5 °C 35 °C	
Recommended humidity (storage/transport)	20 % 80 % (Storage in a dry and dark place in the original packaging is recommended)	
Shelf life	12 months	

0829543

https://www.phoenixcontact.com/in/products/0829543



## Classifications

### ECLASS

ECLASS-11.0	19140614
ECLASS-12.0	19140614
ECLASS-13.0	19140614

### ETIM

	ETIM 9.0	EC001694
UNSPSC		
	UNSPSC 21.0	44103100

0829543

https://www.phoenixcontact.com/in/products/0829543

# Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

PHŒNIX CONTACT

0829543

https://www.phoenixcontact.com/in/products/0829543



## Accessories

THERMOMARK ROLL 2.0 - Thermal transfer printer

1085260 https://www.phoenixcontact.com/in/products/1085260



Thermal transfer printer for material off the roll, incl. Euro/US power cable and USB cable. Operating instructions printed in German and English. 1 roll of labels EML (20x8)R white = 1000 labels, ink ribbon = 50 m

### THERMOMARK ROLLMASTER 300 - Thermal transfer printer

#### 0804501

https://www.phoenixcontact.com/in/products/0804501



Thermal transfer printer for material off the roll, incl. Euro/US power cable and USB cable. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. Operating instructions printed in German and English. 1 roll of labels EML (20x8)R white = 1000 labels, ink ribbon = 50 m

#### 0829543

https://www.phoenixcontact.com/in/products/0829543

## THERMOMARK ROLLMASTER 600 - Thermal transfer printer

#### 0804663

https://www.phoenixcontact.com/in/products/0804663



Thermal transfer printer for material off the roll, incl. Euro/US power cable and USB cable. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. Operating instructions printed in German and English. 1 roll of labels EML (20x8)R white = 1000 labels, ink ribbon = 50 m

## THERMOMARK ROLL - Thermal transfer printer

5146477

https://www.phoenixcontact.com/in/products/5146477



Thermal transfer printer, 300 dpi, incl. European power cable, US power cable, and USB cable. DVD with CLIP PROJECT advanced planning and marking software, user manuals in various languages, Windows® printer driver, and firmware. German/English user manual in DIN A5 format, EML (20x8)R roll of labels, white, with 1000 labels, and ink ribbon: 50 m

#### 0829543

https://www.phoenixcontact.com/in/products/0829543

## **PHŒNIX** CONTACT

### THERMOMARK X1.2 - Thermal transfer printer

#### 5146231

https://www.phoenixcontact.com/in/products/5146231



Thermal transfer printer, weight: 10 kg, length: 0.446 m, width: 242 mm, height: 274 mm, color: gray

## THERMOMARK W2 - Thermal transfer printer

5146147

https://www.phoenixcontact.com/in/products/5146147



Thermal transfer printer for material off the roll, incl. Euro/US power cable, USB cable, and perforation knife. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. Operating instructions printed in German and English.

#### 0829543

https://www.phoenixcontact.com/in/products/0829543

## **PHŒNIX** CONTACT

## THERMOMARK S1.1 - Thermal transfer printer

#### 5146257

https://www.phoenixcontact.com/in/products/5146257



Thermal transfer printer, weight: 2 kg, length: 0.25 m, width: 230 mm, height: 170 mm, color: gray

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in