

# S 63 A/380 V - Fuse insert



0913100

<https://www.phoenixcontact.com/us/products/0913100>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Fuse insert, nom. voltage: 400 V, nominal current: 63 A, diameter: 15 mm, color: copper-colored



## Your advantages

- Contains no lead, cadmium, chromium 6 (RoHS-compliant)
- NEOZED® fuse-links with gG characteristic for protecting lines and equipment
- Safe shutoff of impermissible overcurrents and short-circuit currents up to the nominal shutoff current
- Colored indicating pins on the butt contact show the operating state

## Commercial data

Item number	0913100
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BE19
Product key	BE1Z4X
Catalog page	Page 468 (C-1-2017)
GTIN	4017918008208
Weight per piece (including packing)	15.06 g
Weight per piece (excluding packing)	14.88 g
Customs tariff number	85361050
Country of origin	HU

# S 63 A/380 V - Fuse insert

0913100

<https://www.phoenixcontact.com/us/products/0913100>



## Technical data

### Product properties

Product type	Fuse
--------------	------

### Electrical properties

Nominal current $I_N$	63 A
Fuse	63 A gL/gK NEOZED (without fault display)

### Connection data

Nominal current	63 A
Nominal voltage	400 V AC (250 V DC)

### Dimensions

Diameter	15 mm
----------	-------

### Material specifications

Color	copper-colored
-------	----------------

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C ... 85 °C
Ambient temperature (storage/transport)	-25 °C ... 55 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

# S 63 A/380 V - Fuse insert



0913100

<https://www.phoenixcontact.com/us/products/0913100>

## Classifications

### ECLASS

ECLASS-11.0	27142002
-------------	----------

### ETIM

ETIM 8.0	EC002704
----------	----------

### UNSPSC

UNSPSC 21.0	39121600
-------------	----------

# S 63 A/380 V - Fuse insert



0913100  
<https://www.phoenixcontact.com/us/products/0913100>

## Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)