

# ZB 5,LGS:1-9 - Zack marker strip

1050127

<https://www.phoenixcontact.com/sk/products/1050127>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Zack marker strip, Strip, white, labeled, printed horizontally: consecutive numbers 1 ... 9, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm, Number of individual labels: 10

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1050127       |
| Packing unit                         | 10 pc         |
| Minimum order quantity               | 10 pc         |
| Sales key                            | BG2           |
| Product key                          | BG2122        |
| GTIN                                 | 4017918015565 |
| Weight per piece (including packing) | 1.334 g       |
| Weight per piece (excluding packing) | 1 g           |
| Customs tariff number                | 49119900      |
| Country of origin                    | DE            |

# ZB 5,LGS:1-9 - Zack marker strip



1050127

<https://www.phoenixcontact.com/sk/products/1050127>

## Technical data

### Product properties

|              |                         |
|--------------|-------------------------|
| Product type | Labeled terminal marker |
| Pitch        | 5.2 mm                  |
| Type         | high                    |

### Marking

|                                     |                             |
|-------------------------------------|-----------------------------|
| Number of individual labels         | 10                          |
| Number of individual labels per row | 10                          |
| Number of marker strips             | 10                          |
| Printing direction                  | printed horizontally        |
| Printing                            | consecutive numbers 1 ... 9 |

### Mounting

|               |         |
|---------------|---------|
| Mounting type | snapped |
|---------------|---------|

### Material specifications

|                                        |                                |
|----------------------------------------|--------------------------------|
| Color                                  | white                          |
| Material                               | PA                             |
| Flammability rating according to UL 94 | V2                             |
| Components                             | free from silicone and halogen |

### Environmental and real-life conditions

#### UV resistance

|               |                                |
|---------------|--------------------------------|
| Specification | ISO 4892-2:2013-03 (following) |
|---------------|--------------------------------|

#### Wipe resistance of inscriptions

|               |                                                |
|---------------|------------------------------------------------|
| Specification | DIN EN 61010-1 (VDE 0411-1):2011-07            |
|               | DIN EN 62208 (VDE 0660-511):2012-06 (in parts) |

#### Ambient conditions

|                                                     |                   |
|-----------------------------------------------------|-------------------|
| Ambient temperature (operation)                     | -40 °C ... 100 °C |
| Recommended ambient temperature (storage/transport) | 23 °C             |
| Recommended humidity (storage/transport)            | 50 %              |

### Dimensions

|       |        |
|-------|--------|
| Width | 5 mm   |
| Pitch | 5.2 mm |

### Standards and regulations

|                 |                             |
|-----------------|-----------------------------|
| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
|                 | DIN VDE 0611                |

### Notes

# ZB 5,LGS:1-9 - Zack marker strip



1050127

<https://www.phoenixcontact.com/sk/products/1050127>

|         |                                                             |
|---------|-------------------------------------------------------------|
| General | 10 identically marked strips make up one packing unit (PU). |
|---------|-------------------------------------------------------------|

# ZB 5,LGS:1-9 - Zack marker strip

1050127

<https://www.phoenixcontact.com/sk/products/1050127>



## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27281101 |
| ECLASS-12.0 | 27281101 |
| ECLASS-13.0 | 27281101 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC000761 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39131500 |
|-------------|----------|

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT s.r.o.  
Námestie Mateja Korvína 1  
811 07 Bratislava  
+421 2 3210 1470  
[obchod.sk@phoenixcontact.com](mailto:obchod.sk@phoenixcontact.com)