

# Specifications

## Eaton 106135

Eaton Moeller® series PKZ0 Door coupling handle, EN60204, for MODAN



Photo is representative



### General specifications

<b>PRODUCT NAME</b>	Eaton Moeller® series PKZ0 Accessory Door coupling handle
<b>CATALOG NUMBER</b>	106135
<b>EAN</b>	4015081059058
<b>PRODUCT LENGTH/DEPTH</b>	235 mm
<b>PRODUCT HEIGHT</b>	66 mm
<b>PRODUCT WIDTH</b>	64 mm
<b>PRODUCT WEIGHT</b>	0.16 kg
<b>COMPLIANCES</b>	CE
<b>CATALOG NOTES</b>	Cannot be used in combination with VHI20-PKZ0.
<b>MODEL CODE</b>	PKZ0-XHM

## Features & Functions

<b>COLOR</b>	Black
<b>FEATURES</b>	Lockable
<b>FITTED WITH:</b>	Extension shaft ON/OFF switch position and "+" (tripped), lockable 3 padlocks, 4 - 8 mm hasp thickness

## Climatic environmental conditions

<b>AMBIENT OPERATING TEMPERATURE - MIN</b>	-25 °C
<b>AMBIENT OPERATING TEMPERATURE - MAX</b>	55 °C

## General

<b>PRODUCT CATEGORY</b>	Accessories
-------------------------	-------------

## Design verification

<b>EQUIPMENT HEAT DISSIPATION, CURRENT- DEPENDENT PVID</b>	0 W
<b>HEAT DISSIPATION CAPACITY PDISS</b>	0 W
<b>HEAT DISSIPATION PER POLE, CURRENT- DEPENDENT PVID</b>	0 W
<b>RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)</b>	0 A
<b>STATIC HEAT DISSIPATION, NON- CURRENT-DEPENDENT PVS</b>	0 W
<b>10.2.2 CORROSION RESISTANCE</b>	Meets the product standard's requirements.
<b>10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES</b>	Meets the product standard's requirements.
<b>10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT</b>	Meets the product standard's requirements.
<b>10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS</b>	Meets the product standard's requirements.
<b>10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION</b>	Please enquire
<b>10.2.5 LIFTING</b>	Does not apply, since the entire switchgear needs to be evaluated.
<b>10.2.6 MECHANICAL IMPACT</b>	Does not apply, since the entire switchgear needs to be evaluated.

<b>10.2.7 INSCRIPTIONS</b>	Meets the product standard's requirements.
<b>10.3 DEGREE OF PROTECTION OF ASSEMBLIES</b>	Does not apply, since the entire switchgear needs to be evaluated.
<b>10.4 CLEARANCES AND CREEPAGE DISTANCES</b>	Meets the product standard's requirements.
<b>10.5 PROTECTION AGAINST ELECTRIC SHOCK</b>	Does not apply, since the entire switchgear needs to be evaluated.
<b>10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS</b>	Does not apply, since the entire switchgear needs to be evaluated.
<b>10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS</b>	Is the panel builder's responsibility.
<b>10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS</b>	Is the panel builder's responsibility.
<b>10.9.2 POWER-FREQUENCY ELECTRIC STRENGTH</b>	Is the panel builder's responsibility.
<b>10.9.3 IMPULSE WITHSTAND VOLTAGE</b>	Is the panel builder's responsibility.
<b>10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL</b>	Is the panel builder's responsibility.
<b>10.10 TEMPERATURE RISE</b>	Not applicable.
<b>10.11 SHORT-CIRCUIT RATING</b>	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
<b>10.12 ELECTROMAGNETIC COMPATIBILITY</b>	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
<b>10.13 MECHANICAL FUNCTION</b>	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

## Resources

### BROCHURES

[eaton-motor-starters-system-xstart-brochure-br03407001en-en-us.pdf](#)

### CATALOGUES

[Product Range Catalog Switching and protecting motors](#)

[eaton-switching-and-protecting-motors-product-range-catalog-ca034001en-en-us.pdf](#)

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

[DA-DC-00004960.pdf](#)

[DA-DC-00004961.pdf](#)

[DA-DC-00004915.pdf](#)

[DA-DC-00004912.pdf](#)

[DA-DC-00004913.pdf](#)

[DA-DC-00004246.pdf](#)

[DA-DC-00004881.pdf](#)

[DA-DC-00004937.pdf](#)

[DA-DC-00005041.pdf](#)

[DA-DC-00004880.pdf](#)

[DA-DC-00004891.pdf](#)

### DECLARATIONS OF CONFORMITY

[DA-DC-00004953.pdf](#)

[DA-DC-00004920.pdf](#)

[DA-DC-00004890.pdf](#)

[DA-DC-00004972.pdf](#)

[DA-DC-00004834.pdf](#)

[DA-DC-00004886.pdf](#)

[DA-DC-00005040.pdf](#)

[DA-DC-00004952.pdf](#)

[DA-DC-00004601.pdf](#)

[DA-DC-00004976.pdf](#)

[DA-DC-00004988.pdf](#)

[DA-DC-00004821.pdf](#)

	<a href="#">DA-DC-00004983.pdf</a>
<b>DRAWINGS</b>	<a href="#">eaton-manual-motor-starters-pkz0-accessory-dimensions-003.eps</a> <a href="#">eaton-manual-motor-starters-door-pke-accessory-3d-drawing-002.eps</a>
<b>ECAD MODEL</b>	<a href="#">ETN.106135.edz</a>
<b>INSTALLATION VIDEOS</b>	<a href="#">WIN-WIN with push-in technology</a>
<b>MCAD MODEL</b>	<a href="#">DA-CS-pkz0 x r h</a> <a href="#">DA-CD-pkz0 x r h</a>
<b>SALES NOTES</b>	<a href="#">eaton-link-module-for-motor-starters-pkz-flyer-fl034003en-en-us.pdf</a>

<b>PROJECT NAME:</b>
<b>PROJECT NUMBER:</b>
<b>PREPARED BY:</b>
<b>DATE:</b>



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

Follow us on social media to get the latest product and support information.

