Specifications



Photo is representative

Eaton 119876

Eaton Moeller series NZM - Molded Case Circuit Breaker. Cover, 3p, for connection width extension

General specifications		
PRODUCT NAME	Eaton Moeller series NZM connection type NA	
CATALOG NUMBER	119876	
MODEL CODE	NZM4-XKSAV	
EAN	4015081177271	
PRODUCT LENGTH/DEPTH	230 mm	
PRODUCT HEIGHT	120 mm	
PRODUCT WIDTH	290 mm	
PRODUCT WEIGHT	0.5 kg	
COMPLIANCES	IEC UL/CSA RoHS conform	



Product specifications	
USED WITH	NZM4-XKV95(KB) NZM4, N(S)4
10.10 TEMPERATURE RISE	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 SHORT-CIRCUIT RATING	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 ELECTROMAGNETIC COMPATIBILITY	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 MECHANICAL FUNCTION	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.
10.2.2 CORROSION RESISTANCE	Meets the product standard's requirements.
10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES	Meets the product standard's requirements.
10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT	Meets the product standard's requirements.
10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS	Meets the product standard's requirements.
10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION	Meets the product standard's requirements.
10.2.5 LIFTING	Does not apply, since the entire switchgear needs to be evaluated.
	Does not apply, since the entire switchgear needs to
10.2.5 LIFTING 10.2.6 MECHANICAL	Does not apply, since the entire switchgear needs to be evaluated. Does not apply, since the entire switchgear needs to

Resources	
BROCHURES	eaton-feerum-the-whole-grain-solution-success-story-en-us.pdf
	brochure-br013003en-en- us.pdf
CATALOGUES	eaton-digital-nzm-catalog- ca013003en-en-us.pdf
DRAWINGS	eaton-circuit-breaker- cover-nzm-terminal-cover- dimensions.eps eaton-circuit-breaker-
	shroud-nzm-terminal- cover-3d-drawing.eps
INSTALLATION INSTRUCTIONS	<u>IL01210015Z</u>
INSTALLATION VIDEOS	Introduction of the new digital circuit breaker NZM
	The new digital NZM Range
MCAD MODEL	DA-CD-nzm4_xksav
	DA-CS-nzm4_xksav
TECHNICAL DATA SHEETS	<u>eaton-nzm-technical-</u> <u>information-sheet</u>

PROTECTION OF ASSEMBLIES	entire switchgear needs to be evaluated.
10.4 CLEARANCES AND CREEPAGE DISTANCES	Meets the product standard's requirements.
10.5 PROTECTION AGAINST ELECTRIC SHOCK	Does not apply, since the entire switchgear needs to be evaluated.
10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS	Does not apply, since the entire switchgear needs to be evaluated.
10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS	Is the panel builder's responsibility.
10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS	ls the panel builder's responsibility.
10.9.2 POWER- FREQUENCY ELECTRIC STRENGTH	ls the panel builder's responsibility.
10.9.3 IMPULSE WITHSTAND VOLTAGE	Is the panel builder's responsibility.
10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL	ls the panel builder's responsibility.
FRAME	NZM4
NUMBER OF POLES	Three-pole
ТҮРЕ	Accessory Terminal Terminal cover

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.









