1205053

https://www.phoenixcontact.com/pc/products/1205053



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Actuation tool, for ST terminal blocks, insulated, also suitable for use as a bladed screwdriver, size: $0.6 \times 3.5 \times 100$ mm, 2-component grip, with non-slip grip

Your advantages

• In addition to its standard application, this screwdriver is also ideal for actuating ST ... and QTC ... modular terminal blocks

Commercial data

Item number	1205053
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	BH3144
Catalog page	Page 449 (C-3-2019)
GTIN	4017918019099
Weight per piece (including packing)	34.65 g
Weight per piece (excluding packing)	34.65 g
Customs tariff number	82054000
Country of origin	CZ

1205053

https://www.phoenixcontact.com/pc/products/1205053



Technical data


Notes

Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
roduct properties	
Туре	Bladed
Product type	Screwdriver tools
connection data	
Output	Bladed
imensions	
Dimensional drawing	
Width	26 mm
Blade width	3.5 mm
Blade height	100 mm
Length	181 mm
Wrench size for mounting	0 mm
Blade thickness	0.6 mm
laterial specifications	
Material	alloyed tool steel
tandards and regulations	
Tests	DIN/ISO 2380-1
lounting	
Wrench size	0 mm

1205053 https://www.phoenixcontact.com/pc/products/1205053



Drawings



1205053

https://www.phoenixcontact.com/pc/products/1205053



Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/pc/products/1205053

EAC Approval ID: RU x-DE.xx08.B.02974

1205053

https://www.phoenixcontact.com/pc/products/1205053



Classifications

ECLASS

ECLASS-11.0	21040407
ECLASS-12.0	21040407
ECLASS-13.0	21040407

ETIM

	ETIM 9.0	EC000158		
UNSPSC				
	UNSPSC 21.0	27111700		

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com