SZG 0,9X6,5 VDE - Screwdriver

1205134

https://www.phoenixcontact.com/us/products/1205134

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screwdriver, slot-headed, graded, for test socket screws, size: $0.9 \times 6.5 \times 175$ mm, 2-component grip, with non-slip grip

Your advantages

- · Screwdriver ideally suited for test socket screws
- For working on or in the vicinity of live parts up to 1000 V AC or 1500 V DC
- · The tools feature ergonomic two-component safety handles
- · VDE-tested, for maximum safety

Commercial data

Item number	1205134
Packing unit	10 рс
Sales key	BH31
Product key	BH3144
Catalog page	Page 445 (C-3-2019)
GTIN	4017918019143
Weight per piece (including packing)	147.97 g
Weight per piece (excluding packing)	147.97 g
Customs tariff number	82054000
Country of origin	CZ



1205134

https://www.phoenixcontact.com/us/products/1205134



Technical data

otes	
General	Stepped blade
Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
oduct properties	
Туре	Bladed
Product type	Screwdriver tools
onnection data	
Output	Test socket screws
mensions	
Dimensional drawing	
Width	40 mm
Blade width	6.5 mm
Blade height	175 mm
Length	287 mm
Wrench size for mounting	0 mm
Blade thickness	0.9 mm
aterial specifications	
Matarial	alloyed tool steel
Material	
andards and regulations	
	IEC 60900:2004
andards and regulations	IEC 60900:2004

SZG 0,9X6,5 VDE - Screwdriver

1205134 https://www.phoenixcontact.com/us/products/1205134



Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com