

## Screwdriver - SZF 3-1,0X5,5 - 1206612

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 1.0 x 5.5 x 150 mm, 2-component grip, with non-slip grip


The illustration shows version SZF 1  
-0,6 x 3,5

### Product Features

- ☒ In addition to its standard application, this screwdriver is also ideal for actuating ST ... and QTC ... modular terminal blocks



### Key commercial data

Packing unit	1 PCE
Minimum order quantity	10 PCE
GTIN	 4 017918 174453
Custom tariff number	82054000
Country of origin	CZECH REPUBLIC

### Technical data

#### Dimensions

Length (b)	248 mm
Width (a)	33 mm
Blade thickness	1 mm
Blade width	5.5 mm
Blade height	150 mm

#### General

Design	Bladed
Material	Alloyed tool steel

# Screwdriver - SZF 3-1,0X5,5 - 1206612

## Technical data

### General

Test standard	DIN/ISO 2380-1
---------------	----------------

## Classifications

### ETIM

ETIM 2.0	EC000158
ETIM 3.0	EC000158
ETIM 4.0	EC000158
ETIM 5.0	EC000158

### UNSPSC

UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701
UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701

### eCl@ss

eCl@ss 4.0	21040401
eCl@ss 4.1	21040401
eCl@ss 5.0	21040401
eCl@ss 5.1	21040401
eCl@ss 6.0	21040401
eCl@ss 7.0	21040409

## Approvals

### Approvals

#### Approvals

#### GOST / GOST

#### Ex Approvals

#### Approvals submitted

## Screwdriver - SZF 3-1,0X5,5 - 1206612

### Approvals

#### Approval details

GOST 

GOST 

### Drawings

Pictogram



## Screwdriver - SZF 3-1,0X5,5 - 1206612

Dimensioned drawing

