


CRIMPFOX 6

Order No.: 1212034

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1212034>

Crimping pliers, for ferrules as per DIN 46228 section 1+4, 0.25 - 6.0 mm², insertion from the side, trapezoidal crimp



Commercial data

GTIN (EAN)	4046356453813
sales group	C100
Pack	1 pcs.
Customs tariff	82032090
Weight/Piece	0.4408 KG
Catalog page information	Page 634 (CL-2009)

<http://>

www.download.phoenixcontact.com
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length (b)	198 mm
Height	59 mm
Width (a)	18 mm
Color	black
Weight	358 g
Die station	Crimping position 1
Max. cross section	0.75 mm ²


AWG max	20
Die station	Crimping position 2
Max. cross section	1.5 mm ²
AWG max	16
Die station	Crimping position 3
Max. cross section	2.5 mm ²
AWG max	14
Die station	Crimping position 4
Max. cross section	4 mm ²
AWG max	12
Die station	Crimping position 5
Max. cross section	6 mm ²
AWG max	10
Compression	Trapezoidal crimp
Type of contact	Ferrules

Accessories

Item	Designation	Description
Tools		
1212035	CRIMPFOX 6/DIE	Spare die for CRIMPFOX 6
1212036	CRIMPFOX/ SPR-3	Spare recuperating spring

Diagrams/Drawings

Product drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;