WIREFOX 6SC - Stripping tool



https://www.phoenixcontact.com/us/products/1212158



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Stripping tool, for cables and conductors (especially for cables protected against short circuits and ground leakages) 1.5 - 6 mm², self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm² stranded/1.5 mm² solid, replaceable stripping blade

Product description

Insertable stripping blades: 1212151 WIREFOX 4/SB, 1212153 WIREFOX 16/SB, and 1212152 WIREFOX 10/SB, direct replacement: 1212314 WIREFOX 6SC/SB

Your advantages

- Flexible, adjustable limit stop for the stripping length
- · Practical integrated wire cutter
- WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters

Commercial data

Item number	1212158
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3121
Catalog page	Page 406 (C-3-2019)
GTIN	4046356454438
Weight per piece (including packing)	210.3 g
Weight per piece (excluding packing)	210.1 g
Customs tariff number	82032000
Country of origin	SE

WIREFOX 6SC - Stripping tool



https://www.phoenixcontact.com/us/products/1212158



Technical data

Notes

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
oduct properties	
Product type	Stripping tool
onnection data	
Conductor connection	
Cross section range, metric	1.5 mm ² 6 mm ² (Stripping range)
	1.5 mm² (Cutting zone)
Cross section range AWG	16 10 (Stripping range)
	16 (Cutting zone)
mensions	
Width	20 mm
Height	90 mm
Length	191 mm
aterial specifications	
·	

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com