

SF-SL 0,8X4,0-100 S-VDE - Screwdriver



1212588

<https://www.phoenixcontact.com/pc/products/1212588>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Actuation tool, for ST terminal blocks, VDE insulated, with slimmer insulation integrated in the blade, also suitable for use as a bladed screwdriver, size: 0.8 x 4.0 x 100 mm, 2-component grip, with non-slip grip

Your advantages

- In addition to standard applications, SF-SL ... screwdrivers are particularly suitable for modular terminal block assembly
- Because the insulation runs into the shaft, there is no protruding edge
- VDE-tested, for maximum safety

Commercial data

Item number	1212588
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	BH3144
Catalog page	Page 446 (C-3-2019)
GTIN	4046356590235
Weight per piece (including packing)	58.7 g
Weight per piece (excluding packing)	55.75 g
Customs tariff number	82054000
Country of origin	CZ

SF-SL 0,8X4,0-100 S-VDE - Screwdriver

1212588

<https://www.phoenixcontact.com/pc/products/1212588>



Technical data

Notes

Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration


Product properties

Type	Bladed
Product type	Screwdriver tools
Type	straight

Connection data

Output	Bladed
--------	--------

Dimensions

Dimensional drawing	
Width	33 mm
Blade width	4 mm
Blade height	100 mm
Length	198 mm
Wrench size for mounting	0 mm
Blade thickness	0.8 mm

Material specifications

Material	alloyed tool steel
----------	--------------------

Standards and regulations

Tests	DIN/ISO 2380-1 IEC 60900:2004
-------	-------------------------------

Mounting

Wrench size	0 mm
-------------	------

SF-SL 0,8X4,0-100 S-VDE - Screwdriver


1212588

<https://www.phoenixcontact.com/pc/products/1212588>



Drawings

Dimensional drawing



SF-SL 0,8X4,0-100 S-VDE - Screwdriver

1212588

<https://www.phoenixcontact.com/pc/products/1212588>



Approvals

💡 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/pc/products/1212588>



EAC

Approval ID: RU C-DE.AI30.B.01750



VDE Zeichengenehmigung

Approval ID: 40032921

SF-SL 0,8X4,0-100 S-VDE - Screwdriver



1212588

<https://www.phoenixcontact.com/pc/products/1212588>

Classifications

ECLASS

ECLASS-11.0	21040407
ECLASS-12.0	21040407
ECLASS-13.0	21040407

ETIM

ETIM 9.0	EC000158
----------	----------

UNSPSC

UNSPSC 21.0	27111700
-------------	----------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

info@phoenixcontact.com