# WIREFOX-E 16 - Stripping tool

1212707

https://www.phoenixcontact.com/pc/products/1212707

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Stripping tool, for cables and conductors from 4 - 16 mm<sup>2</sup>, self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm<sup>2</sup> stranded/1.5 mm<sup>2</sup> solid, replaceable stripping blade

# Product description


Insertable stripping blades: 1212151 WIREFOX 4/SB, 1212152 WIREFOX 10/SB, and 1212314 WIREFOX 6SC/SB, direct replacement: 1212153 WIREFOX 16/SB

### Your advantages

- · Practical integrated wire cutter
- · Flexible, adjustable limit stop for the stripping length
- · Flexible, adjustable limit stop for the stripping length
- · Stripping tool with ergonomically shaped pliers
- The stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters.<br/>
- · Practical integrated wire cutter
- WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters

# Commercial data

Item number	1212707
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BH3121
Catalog page	Page 405 (C-3-2019)
GTIN	4046356787826
Weight per piece (including packing)	253 g
Weight per piece (excluding packing)	253 g
Customs tariff number	82032000
Country of origin	SE



1212707

https://www.phoenixcontact.com/pc/products/1212707



# Technical data

#### Notes

Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
Product properties	
Product type	Stripping tool
Connection data	
Cross section range, metric	4 mm <sup>2</sup> 16 mm <sup>2</sup> (Stripping range)
	1.5 mm <sup>2</sup> (Cutting zone)
Cross section range AWG	12 5 (Stripping range)
	16 (Cutting zone)
Dimensions	
Width	20 mm
	90 mm

#### Material specifications

Length

191 mm

# WIREFOX-E 16 - Stripping tool

1212707


https://www.phoenixcontact.com/pc/products/1212707



### Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/pc/products/1212707

EAC Approval ID: RU x-DE.xx08.B.02974



1212707

https://www.phoenixcontact.com/pc/products/1212707



# Classifications

#### ECLASS

ECLASS-12.0 21043706   ECLASS-13.0 21043706	ECLASS-11.0	21043706
ECLASS-13.0 21043706	ECLASS-12.0	21043706
	ECLASS-13.0	21043706

#### ETIM

	ETIM 9.0	EC002109			
UN	UNSPSC				
	UNSPSC 21.0	27111500			

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com