

1404294

<https://www.phoenixcontact.com/no/products/1404294>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Terminal outlet, degree of protection: IP65/IP67, CAT5 (IEC 11801:2002), material: Metal, color: black

Your advantages

- Easy installation, thanks to captive cover screws
- Robust design
- Integrated cable management system

Commercial data

Item number	1404294
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	31BAB
Product key	ABNOEB
Catalog page	Page 349 (C-2-2019)
GTIN	4046356305396
Weight per piece (including packing)	719.2 g
Weight per piece (excluding packing)	719.2 g
Customs tariff number	85369095
Country of origin	DE

1404294

<https://www.phoenixcontact.com/no/products/1404294>

Technical data

Product properties

Type	M12
Product type	Data plug
Connection profile	M12
Number of slots	2

Electrical properties

Transmission medium	Copper
Transmission characteristics (category)	CAT5 (IEC 11801:2002)

Material specifications

Color	black
Housing material	Metal

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65/IP67
Ambient temperature (operation)	-40 °C ... 70 °C

Mounting

Mounting type	Screw mounting
---------------	----------------

VS-TO-RO-MCBK-F1421/1421 - Terminal outlet




1404294

<https://www.phoenixcontact.com/no/products/1404294>

Drawings

Dimensional drawing



Terminal outlet 2xM12 4-pos.

VS-TO-RO-MCBK-F1421/1421 - Terminal outlet



1404294

<https://www.phoenixcontact.com/no/products/1404294>

Classifications

ECLASS

ECLASS-12.0	27440319
ECLASS-11.0	27440319
ECLASS-13.0	27440318

ETIM

ETIM 9.0	EC002598
----------	----------

UNSPSC

UNSPSC 21.0	43223300
-------------	----------

VS-TO-RO-MCBK-F1421/1421 - Terminal outlet



1404294

<https://www.phoenixcontact.com/no/products/1404294>

Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT AS
Strømsveien 344
N-1081 Oslo
+47 22 07 68 00
norge@phoenixcontact.com