

# VS-TO-RO-MCBK-F1422/1422 - Terminal outlet



1404304

<https://www.phoenixcontact.com/no/products/1404304>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Terminal outlet, degree of protection: IP65/IP67, CAT5 (IEC 11801:2002), material: Metal, color: black

## Your advantages

- Easy installation, thanks to captive cover screws
- Robust design
- Integrated cable management system

## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 1404304             |
| Packing unit                         | 1 pc                |
| Minimum order quantity               | 1 pc                |
| Sales key                            | 31BAB               |
| Product key                          | ABNOEB              |
| Catalog page                         | Page 349 (C-2-2019) |
| GTIN                                 | 4046356305402       |
| Weight per piece (including packing) | 728.9 g             |
| Weight per piece (excluding packing) | 728.9 g             |
| Customs tariff number                | 85369095            |
| Country of origin                    | DE                  |

1404304

<https://www.phoenixcontact.com/no/products/1404304>

## Technical data

### Product properties

|                    |           |
|--------------------|-----------|
| Type               | M12       |
| Product type       | Data plug |
| Connection profile | M12       |
| Number of slots    | 2         |

### Electrical properties

|                                         |                       |
|-----------------------------------------|-----------------------|
| Transmission medium                     | Copper                |
| Transmission characteristics (category) | CAT5 (IEC 11801:2002) |

### Material specifications

|                  |       |
|------------------|-------|
| Color            | black |
| Housing material | Metal |

### Environmental and real-life conditions

#### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Degree of protection            | IP65/IP67        |
| Ambient temperature (operation) | -40 °C ... 70 °C |

### Mounting

|               |                |
|---------------|----------------|
| Mounting type | Screw mounting |
|---------------|----------------|


# VS-TO-RO-MCBK-F1422/1422 - Terminal outlet

1404304

<https://www.phoenixcontact.com/no/products/1404304>

## Drawings

Dimensional drawing



Terminal outlet 2xM12 8-pos.

# VS-TO-RO-MCBK-F1422/1422 - Terminal outlet



1404304

<https://www.phoenixcontact.com/no/products/1404304>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-12.0 | 27440319 |
| ECLASS-11.0 | 27440319 |
| ECLASS-13.0 | 27440318 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002598 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 43223300 |
|-------------|----------|

# VS-TO-RO-MCBK-F1422/1422 - Terminal outlet



1404304

<https://www.phoenixcontact.com/no/products/1404304>

## Environmental product compliance

|            |                                                                                                              |
|------------|--------------------------------------------------------------------------------------------------------------|
| REACH SVHC | Lead 7439-92-1                                                                                               |
| China RoHS | Environmentally Friendly Use Period = 50 years                                                               |
|            | For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads" |

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT AS  
Strømsveien 344  
N-1081 Oslo  
+47 22 07 68 00  
[norge@phoenixcontact.com](mailto:norge@phoenixcontact.com)