

SI-M1A-T - Mounting frame

1407586

<https://www.phoenixcontact.com/us/products/1407586>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Mounting frame for one front plate/socket, plastic frame: black, plastic cover: transparent, closed with rotary knob, included.

Commercial data

Item number	1407586
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BF70
Product key	BF7EAX
Catalog page	Page 704 (C-4-2015)
GTIN	4046356775984
Weight per piece (including packing)	118.5 g
Weight per piece (excluding packing)	118.5 g
Customs tariff number	39269097
Country of origin	CZ

SI-M1A-T - Mounting frame

1407586

<https://www.phoenixcontact.com/us/products/1407586>




Technical data

Product properties

Product type	Mounting frame
Type	for 1 front plate
Protective cover	yes

Dimensions

Dimensional drawing	
Width	66 mm
Depth	34.5 mm
Length	127 mm

Installation dimensions

Width of the assembly cutout	52 mm
Length of the assembly cutout	91 mm

Material specifications

Material Housing	PBT
Flammability rating according to UL 94	V0

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-30 °C ... 70 °C
Ambient temperature (storage/transport)	-30 °C ... 80 °C

Mounting

Assembly instructions	Suitable for panel thicknesses 1 mm ... 5 mm
-----------------------	--

SI-M1A-T - Mounting frame


1407586

<https://www.phoenixcontact.com/us/products/1407586>



Drawings

Dimensional drawing



Mounting cutout


SI-M1A-T - Mounting frame

1407586

<https://www.phoenixcontact.com/us/products/1407586>



Dimensional drawing



Dimensional drawing

SI-M1A-T - Mounting frame

1407586

<https://www.phoenixcontact.com/us/products/1407586>



Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1407586>



EAC

Approval ID: RU C-DE.A*30.B.01102

SI-M1A-T - Mounting frame

1407586

<https://www.phoenixcontact.com/us/products/1407586>



Classifications

ECLASS

ECLASS-11.0	27182806
ECLASS-13.0	27182806

SI-M1A-T - Mounting frame

1407586

<https://www.phoenixcontact.com/us/products/1407586>



Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

SI-M1A-T - Mounting frame

1407586

<https://www.phoenixcontact.com/us/products/1407586>




Accessories

VS-SI-FP-2RJ-MOD - Front plate

1656631

<https://www.phoenixcontact.com/us/products/1656631>



Front plate, plastic with shroud, for 2x RJ with modular system (Keystone)

VS-SI-FP-2DSUB9 - Front plate

1656563

<https://www.phoenixcontact.com/us/products/1656563>



Data front plate, plastic, for 2 x 9-pos. D-SUB, item 1656961 may be required for mounting D-SUB inserts

SI-M1A-T - Mounting frame

1407586

<https://www.phoenixcontact.com/us/products/1407586>



VS-SI-FP-DSUB9-DSUB25 - Front plate

1656589

<https://www.phoenixcontact.com/us/products/1656589>



Data front plate, plastic, for 1 x 9-pos. D-SUB and 1 x 25-pos. D-SUB, item 1656961 may be required for mounting D-SUB inserts

VS-SI-FP-BP - Front plate

1656657

<https://www.phoenixcontact.com/us/products/1656657>

Front plate



SI-M1A-T - Mounting frame

1407586

<https://www.phoenixcontact.com/us/products/1407586>



VS-SI-FP-2F - Front plate

1658532

<https://www.phoenixcontact.com/us/products/1658532>

Front plate, plastic, with two Freenet slots



Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com