

https://www.phoenixcontact.com/lt/products/1411226

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Counter nut, for threads Pg21, color: silver-grey RAL 7001



Commercial data

Item number	1411226
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	BF7
Product key	BF7DZX
Catalog page	Page 687 (C-2-2019)
GTIN	4046356923583
Weight per piece (including packing)	5.18 g
Weight per piece (excluding packing)	5 g
Customs tariff number	39269097
Country of origin	TR



https://www.phoenixcontact.com/lt/products/1411226



Technical data

Product properties

Product type	Flat nut
Thread type	Pg21

Dimensions

Length7 mmDiameter28.3 mmConnecting thread diameter28.3 mmWrench size, counter nut36 mmHexagon angular dimension39 mmThread type connection sidePg21Material specificationsMaterialPAFlammability rating according to UL 94V2Cuble/lineHalogen-freeyes	Dimensional drawing		
Connecting thread diameter 28.3 mm Wrench size, counter nut 36 mm Hexagon angular dimension 39 mm Thread type connection side Pg21 Material specifications Material PA Flammability rating according to UL 94 V2 Cable/line Halogen-free yes	Length	7 mm	
Wrench size, counter nut 36 mm Hexagon angular dimension 39 mm Thread type connection side Pg21 Material specifications Material PA Flammability rating according to UL 94 V2 Cable/line Halogen-free yes	Diameter	28.3 mm	
Hexagon angular dimension39 mmThread type connection sidePg21Material specificationsMaterialPAFlammability rating according to UL 94V2Cable/lineHalogen-freeyesSupervision of the time of time	Connecting thread diameter	28.3 mm	
Thread type connection side Pg21 Material specifications PA Material PA Flammability rating according to UL 94 V2 Cable/line Halogen-free yes Environmental and real-life conditions	Wrench size, counter nut	36 mm	
Material specifications PA Material PA Flammability rating according to UL 94 V2 Cable/line Halogen-free yes Environmental and real-life conditions	Hexagon angular dimension	39 mm	
Material PA Flammability rating according to UL 94 V2 Cable/line Halogen-free yes	Thread type connection side	Pg21	
Flammability rating according to UL 94 V2 Cable/line Halogen-free Halogen-free yes	Material specifications		
Cable/line Halogen-free yes Environmental and real-life conditions	Material	PA	
Halogen-free yes Environmental and real-life conditions	Flammability rating according to UL 94	V2	
Environmental and real-life conditions	Cable/line		
	Halogen-free	yes	
Ambient conditions	Environmental and real-life conditions Ambient conditions		
Ambient temperature (operation) -40 °C 100 °C	Ambient temperature (operation)	-40 °C 100 °C	




https://www.phoenixcontact.com/lt/products/1411226



Drawings

Dimensional drawing





https://www.phoenixcontact.com/lt/products/1411226



Classifications

ECLASS

	ECLASS-11.0	27144424		
	ECLASS-13.0	27140807		
ETIM				
	ETIM 9.0	EC000940		
UNSPSC				
	UNSPSC 21.0	31161700		



https://www.phoenixcontact.com/lt/products/1411226



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact UAB Svitrigailos str. 11B 03228 Vilnius +370 5 2106321 balticinfo@phoenixcontact.com