

HC-B-G-M32-EC-AL - Cable gland



1411440

<https://www.phoenixcontact.com/nz/products/1411440>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



EVO EMC cable gland with bayonet locking, B series, size M32, cable diameter: 14-21 mm

Commercial data

Item number	1411440
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF7APM
Product key	BF7APM
Catalog page	Page 605 (C-2-2019)
GTIN	4046356932394
Weight per piece (including packing)	105.1 g
Weight per piece (excluding packing)	104.5 g
Country of origin	DE

HC-B-G-M32-EC-AL - Cable gland

1411440

<https://www.phoenixcontact.com/nz/products/1411440>




Technical data

Product properties

Product type	Cable gland with bayonet locking
Application	EMC
No. of conductors	1
Type of the screw connection	M32
Shielded	yes

Dimensions

Dimensional drawing	
Wrench size, union nut	34 mm

Material specifications

Color	aluminum
Material Pressure screw	Brass, nickel-plated
Seal material O-ring	NBR
Seal material Cable seal	NBR
Material for screw connection	Aluminum
Housing material	Die-cast aluminum, corrosion resistant

Cable/line

External cable diameter (Cable 1)	14 mm ... 21 mm
-----------------------------------	-----------------

Mechanical properties

Mechanical data

Type of the screw connection	M32
------------------------------	-----

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66
	IP67
Enclosure rating (NEMA)	4 (UL 50e)
	4X (UL 50e)
	12 (UL 50e)
Ambient temperature (operation)	-40 °C ... 125 °C (static)

HC-B-G-M32-EC-AL - Cable gland


1411440

<https://www.phoenixcontact.com/nz/products/1411440>



Drawings

Dimensional drawing



Dimensional drawing

HC-B-G-M32-EC-AL - Cable gland



1411440

<https://www.phoenixcontact.com/nz/products/1411440>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/nz/products/1411440>



cUL Recognized
Approval ID: E255026



UL Recognized
Approval ID: E255026



EAC
Approval ID: RU C-DE.AI30.B.01102



EAC-RoHS
Approval ID: RU D-DE.HB35.B.00387

cULus Recognized

HC-B-G-M32-EC-AL - Cable gland



1411440

<https://www.phoenixcontact.com/nz/products/1411440>

Classifications

ECLASS

ECLASS-11.0	27144432
ECLASS-12.0	27140801
ECLASS-13.0	27140801

ETIM

ETIM 9.0	EC000441
----------	----------

UNSPSC

UNSPSC 21.0	39121300
-------------	----------

HC-B-G-M32-EC-AL - Cable gland



1411440
<https://www.phoenixcontact.com/nz/products/1411440>

Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT Ltd
Unit 15C, 906-930 Great South Road, Penrose
Auckland 1061
0508 474 636
sales@phoenixcontact.co.nz