

1419185

https://www.phoenixcontact.com/pc/products/1419185

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



RJ45 mounting frame, IP67, for bayonet interlocking, metal, with contact insert for cable connection, for round mounting cutout, with seal, without mounting screws

Your advantages

· Round panel cutout

Commercial data

Item number	1419185
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	ABNMAB
Catalog page	Page 351 (C-2-2017)
GTIN	4046356540384
Weight per piece (including packing)	97.1 g
Weight per piece (excluding packing)	94.2 g
Customs tariff number	85366990
Country of origin	DE



1419185

https://www.phoenixcontact.com/pc/products/1419185

Technical data

General

Notes

Product properties		
	Product type	Panel mounting frame
	Application	RJ45 PCB connection
	Туре	Version 1
	Number of positions	8
	Connection profile	RJ45

1 RJ45

Without mounting screws

Electrical properties

Type

Number of slots

Rated voltage (III/3)	72 V (DC)
Transmission medium	Copper
Transmission characteristics (category)	CAT5 (IEC 11801:2002)

Connection data

Connection technology

Connection method	Coupling

Material specifications

Material	Metal
Flammability rating according to UL 94	V0
Seal material	NBR
Housing material	Metal
Housing surface material	nickel-plated

Cable/line

Wire diameter	0.4 mm 0.64 mm
Wire diameter including insulation	1.6 mm

Mechanical properties

Mechanical data

Insertion/withdrawal cycles	750

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65/IP67
Ambient temperature (operation)	-40 °C 70 °C



1419185

https://www.phoenixcontact.com/pc/products/1419185

Mounting


Mounting type Wall mounting




1419185

https://www.phoenixcontact.com/pc/products/1419185

Drawings







1419185

https://www.phoenixcontact.com/pc/products/1419185

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27440210	
ECLASS-12.0	27440210	
ECLASS-13.0	27440109	
ETIM		
ETIM 9.0	EC002310	
UNSPSC		

39121400



1419185

https://www.phoenixcontact.com/pc/products/1419185

Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com