

1460255

https://www.phoenixcontact.com/us/products/1460255

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



HEAVYCON B24 sleeve housing, with double locking latch, height: 72 mm, with 1 x Pg21 screw connection, straight cable outlet

### Commercial data

Item number	1460255
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BF55
Product key	BF7AAC
Catalog page	Page 536 (C-4-2013)
GTIN	4046356794404
Weight per piece (including packing)	335.1 g
Weight per piece (excluding packing)	335.1 g
Customs tariff number	85389099
Country of origin	DE



https://www.phoenixcontact.com/us/products/1460255



### Technical data

### Notes

General For contact inserts HC-B24, BB46, BB64, D64, DD108, M
---

### Product properties

Туре	B24
Product type	Housing with locking latch
Application	Standard
No. of cable outlets	1
Type of the screw connection	1x Pg21
Housing type	Sleeve housing
Cable outlet	straight
Pg screw connection	with

### **Dimensions**

Dimensional drawing	9 (a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Width	43 mm
Height	76 mm
Length	120 mm
Wrench size, union nut	28 mm

### Material specifications

Material Screw connection	Brass, nickel-plated
Seal material Cable seal	NBR
	NDR
Housing surface material	Powder-coated, gray
Locking latch material	Stainless steel, handle: PA
Housing material	die-cast aluminum

### Mechanical properties

#### Mechanical data

Type of the screw connection	1x Pg21
Locking type	Latch

### Cable/line

External cable diameter (Cable 1)	10 mm 19 mm

### Environmental and real-life conditions



1460255

https://www.phoenixcontact.com/us/products/1460255

#### Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-40 °C 125 °C


1460255

https://www.phoenixcontact.com/us/products/1460255



### Drawings

### Dimensional drawing





Dimensional drawing



1460255

https://www.phoenixcontact.com/us/products/1460255

### Classifications

### **ECLASS**

	ECLASS-11.0	27440202
	ECLASS-13.0	27440202
UNSPSC		
	UNSPSC 21.0	31261501



https://www.phoenixcontact.com/us/products/1460255



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com