


# 1492WTF3

Allen-Bradley 1492-W Screw Connection Terminal 2.5mm 3  
Levels 6 Conductor Entries Grey



Component type	Feed-through terminal block
Range	1492J/W
Model	N/A
Product status	Existing

The Allen-Bradley 1492-J and W ranges of screw connection terminal blocks are reliable, safe and straightforward electrical connections designed for advanced wiring management. With cross-sectional wire sizes ranging from 0.5mm<sup>2</sup> to 120mm<sup>2</sup>, and fitted with various terminal types such as feed-through, disconnect, fused and plug-in and available in both single and multi-level housing make them ideal for any panel space requirements. Available with a wide range of accessories enabling quick and easy installation.

ELECTRICAL	Type of electrical connection 1	Screw connection
	Type of electrical connection 2	Screw connection
	Rated current In	24 A
	Rated voltage	250 V
CONSTRUCTION	Number of levels	2
	Number of clamp positions per level	2
	Colour	Grey
	Mounting method	DIN rail (top hat rail) 35 mm
	Inflammability class of insulation material according to with UL94	V0
MECHANICAL	Nominal tightening torque	0.5 Nm
DIMENSIONS	Wire/conductor size	0.5-2.5 mm
	Width	5.1 mm
	Height	89.9 mm
	Depth	44.1 mm
	Wire strip length	8 mm
ENVIRONMENT	Insulation temperature	-40...90 °C
	Operating temperature	...40...90 °C