

DC-B 6-HTC-M25-M25-M - T box



1581052

<https://www.phoenixcontact.com/in/products/1581052>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DUPLICON, aluminum T-box, type B6, IP67 protection, 2 x M25 cable screw connection thread (without cable screw connection)

Commercial data

Item number	1581052
Packing unit	10 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	BF7
Product key	BF7BGD
Catalog page	Page 679 (C-2-2017)
GTIN	4046356154840
Weight per piece (including packing)	248.96 g
Weight per piece (excluding packing)	248.96 g
Customs tariff number	85389099
Country of origin	SI

DC-B 6-HTC-M25-M25-M - T box

1581052

<https://www.phoenixcontact.com/in/products/1581052>



Technical data


Product properties

Type	DC-B6
Number of positions	0
No. of cable outlets	2
Type of the screw connection	with M25 thread
Housing type	Box mounting bases
Seal present	no
Protective cover	no
Cable outlet	lateral
Pg screw connection	none

Connection data

Connection method	Screw connection
-------------------	------------------

Dimensions

Dimensional drawing	
Width	81 mm
Height	72 mm
Length	81 mm

Material specifications

Color	pearl gray
Material Housing	die-cast aluminum
Impact strength	IK08
Housing material	die-cast aluminum

Mechanical properties

Mechanical data

Type of the screw connection	with M25 thread
Locking type	Pin

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65
	IP66

DC-B 6-HTC-M25-M25-M - T box



1581052

<https://www.phoenixcontact.com/in/products/1581052>

	IP67
	IP65/IP66/IP67
Impact strength	IK08
Ambient temperature (operation)	-40 °C ... 125 °C
Ambient temperature (storage/transport)	-40 °C ... 125 °C

Mounting

Mounting type	Screw mounting
---------------	----------------

DC-B 6-HTC-M25-M25-M - T box




1581052

<https://www.phoenixcontact.com/in/products/1581052>

Drawings

Dimensional drawing



Dimensional drawing

DC-B 6-HTC-M25-M25-M - T box



1581052

<https://www.phoenixcontact.com/in/products/1581052>

Classifications

UNSPSC

UNSPSC 21.0	31261501
-------------	----------

DC-B 6-HTC-M25-M25-M - T box



1581052

<https://www.phoenixcontact.com/in/products/1581052>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420
info@phoenixcontact.co.in