

1581117

https://www.phoenixcontact.com/pc/products/1581117

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DUPLICON, aluminum stackable housing for DUPLICON contact inserts, type B6, IP67 degree of protection, with two locking latches, seal and M20 cable screw connection threads (without cable gland), angled outlet

Commercial data

Item number	1581117
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	BF7BAB
Catalog page	Page 662 (C-4-2015)
GTIN	4046356428019
Weight per piece (including packing)	293.8 g
Weight per piece (excluding packing)	293.8 g
Customs tariff number	85389099
Country of origin	SI



https://www.phoenixcontact.com/pc/products/1581117




Technical data

Product properties

Housing type	Sleeve housing
Туре	DC-B6
Type of the screw connection	With 2x M20 thread
Cable outlet	lateral
Pg screw connection	none

Dimensions



Material specifications

Color	pearl gray
Material Housing	Die-cast aluminum
Seal material	NBR
Housing material	Die-cast aluminum
Locking latch material	Stainless steel

Mechanical properties

Mechanical data

Type of the screw connection	With 2x M20 thread
Locking type	Latch
Insertion/withdrawal cycles	≥ 100

Environmental and real-life conditions

Ambient conditions


Degree of protection	IP65
	IP66
	IP67
	IP65/IP66/IP67
Ambient temperature (operation)	-40 °C 125 °C
Ambient temperature (storage/transport)	-40 °C 125 °C

1581117

https://www.phoenixcontact.com/pc/products/1581117



Drawings



Dimensional drawing



1581117

https://www.phoenixcontact.com/pc/products/1581117

Classifications

UNSPSC

UNSPSC 21.0 31261501



1581117

https://www.phoenixcontact.com/pc/products/1581117

Environmental product compliance

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com