

VC-AL-T2-Z-M20-S - Housing

1583636

<https://www.phoenixcontact.com/us/products/1583636>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Aluminum die-cast sleeve housing, with grommet, locking screws with cylinder head, for a metric M20 cable gland, angled cable outlet, type VC2

Commercial data

Item number	1583636
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	AB01
Product key	ABLAAX
Catalog page	Page 34 (C-2-2013)
GTIN	4046356183260
Weight per piece (including packing)	175 g
Weight per piece (excluding packing)	174.82 g
Customs tariff number	85389099
Country of origin	DE

VC-AL-T2-Z-M20-S - Housing

1583636

<https://www.phoenixcontact.com/us/products/1583636>



Technical data


Notes

General	When using fiber optics, the bending radii of the cable manufacturers must be observed.
---------	---

Product properties

Product type	Sleeve housings
Product family	VARIOCON
Type	VC2
No. of cable outlets	1
Type of the screw connection	M20 x 1.5
Fixing screws	M4
Shielded	no
Cable outlet	angled

Dimensions

Dimensional drawing	
Height	80 mm

Material specifications

Color	gray aluminum
Flammability rating according to UL 94	V0
Seal material	NBR, conductive
Housing material	die-cast aluminum
O-ring material	NBR
Material of locking screw	V2A

Mechanical properties

Mechanical data	
Type of the screw connection	M20 x 1.5
Locking type	Screw

Environmental and real-life conditions

Ambient conditions	
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C

Mounting

VC-AL-T2-Z-M20-S - Housing

1583636

<https://www.phoenixcontact.com/us/products/1583636>



Fixing screws	M4
---------------	----

VC-AL-T2-Z-M20-S - Housing


1583636

<https://www.phoenixcontact.com/us/products/1583636>




Drawings

Dimensional drawing



Dimensional drawing




VC-AL-T2-Z-M20-S - Housing

1583636

<https://www.phoenixcontact.com/us/products/1583636>



Dimensional drawing



Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

VC-AL-T2-Z-M20-S - Housing

1583636

<https://www.phoenixcontact.com/us/products/1583636>



Accessories

GPE 22X22 SR/R - Engraving material

0806628

<https://www.phoenixcontact.com/us/products/0806628>



Engraving material, Sheet, silver, unlabeled, can be labeled with: PLOTMARK, ENGRAVING UNIT, CMS-P1-PLOTTER, P1 ENGRAVING UNIT, mounting type: adhesive, lettering field size: 22 x 22 mm, Number of individual labels: 32

HC-M-KV-M20(9-13) - Cable gland

1690561

<https://www.phoenixcontact.com/us/products/1690561>



Metal screw connection up to 5 bar, thread length: 6 mm, cable diameter: 9 - 13 mm, WAF 22, screw connection: M20

VC-AL-T2-Z-M20-S - Housing

1583636

<https://www.phoenixcontact.com/us/products/1583636>



HC-M-KV-M20(11-16) - Cable gland

1645998

<https://www.phoenixcontact.com/us/products/1645998>



Metal screw connection up to 5 bar, thread length: 6 mm, cable diameter: 11 - 16 mm, WAF 27, screw connection: M20

HC-EMV-KV-M20(7-12,5) - Cable gland

1690503

<https://www.phoenixcontact.com/us/products/1690503>



EMC screw connection up to 5 bar, thread length: 5 mm, cable diameter: 7.0 - 12.5 mm, WAF 24, screw connection: M20

VC-AL-T2-Z-M20-S - Housing

1583636

<https://www.phoenixcontact.com/us/products/1583636>



VC-SCHR.ZYL-B-M4X38X15-Z2L-V4A - Connector component

1628354

<https://www.phoenixcontact.com/us/products/1628354>



M4x38x15 mm cylinder screw as replacement for VC sleeve housing

VC-SCHR.ZYL-B-M4X68X15-Z2L-V4A - Connector component

1628355

<https://www.phoenixcontact.com/us/products/1628355>



M4x68x15 mm cylinder screw as replacement for VC sleeve housing

VC-AL-T2-Z-M20-S - Housing

1583636

<https://www.phoenixcontact.com/us/products/1583636>



VC-O-RING 3X1,5 NBR-NT70:100 - Connector component

1628356

<https://www.phoenixcontact.com/us/products/1628356>

O-ring as replacement for VC sleeve housing



VC-MP-T2-Z - Sleeve housing

1884908

<https://www.phoenixcontact.com/us/products/1884908>



Sleeve housing, Range of articles: VARIOCON, design: VC2, housing material: Zinc die-cast, color: gray, When using fiber optics, the bending radii of the cable manufacturers must be observed.

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com