1584541

https://www.phoenixcontact.com/pc/products/1584541

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Protective cover B10, with double locking latch, protective cover material: AI, height: 16.9 mm, seal: yes, with lanyard



Commercial data

Item number	1584541
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	BF7AZC
Catalog page	Page 654 (C-2-2019)
GTIN	4046356144131
Weight per piece (including packing)	107.81 g
Weight per piece (excluding packing)	107.81 g
Customs tariff number	85389099
Country of origin	DE





https://www.phoenixcontact.com/pc/products/1584541



Technical data

Product properties

Product type	Protective cover
Туре	B10
Туре	for sleeve housing without double locking latch
Retaining cord present	yes
Housing type	Protective cover
Seal present	yes

Dimensions

Dimensional drawing

Width	43 mm
Height	16.9 mm
Length	73 mm
Diameter	30 mm

Material specifications

Material Protective cover	die-cast aluminum
Seal material	NBR
Housing surface material	Powder-coated, gray
Material, protective cover	Al
Locking latch material	High-grade steel, handle: PA-GF

Mechanical properties

Mechanical data	
Locking type	Latch

Environmental and real-life conditions

Ambient conditions	
Degree of protection	IP66
Ambient temperature (operation)	-40 °C 125 °C

Mounting

Assembly instructions	Not for HC-BEMC housings
	The guide pins of the protective cover must be removed when
	using coding sockets, pins, and bolts.

PHŒNIX CONTACT


1584541

https://www.phoenixcontact.com/pc/products/1584541



Drawings

Dimensional drawing



Dimensional drawing

1584541

https://www.phoenixcontact.com/pc/products/1584541



Classifications

ECLASS

	ECLASS-11.0	27440208
	ECLASS-13.0	27440208
ETIM		
	ETIM 8.0	EC002314
UNSPSC		
	UNSPSC 21.0	39121400

1584541

https://www.phoenixcontact.com/pc/products/1584541

PHŒNIX CONTACT

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com