HC-26S1N12R3DU - Cable connector



1590364

https://www.phoenixcontact.com/pc/products/1590364

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable connector, straight, Screw locking mechanism, M27, number of positions: 26, contact connection type: Socket, degree of protection: IP67, number of positions: 26, connection method: Solder connection, series: HC

Commercial data

Harris and an artist of the state of the sta	4500004
Item number	1590364
Packing unit	10 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	ABRAJA
GTIN	4046356187060
Weight per piece (including packing)	101.45 g
Weight per piece (excluding packing)	101.45 g
Customs tariff number	85366990
Country of origin	DE

HC-26S1N12R3DU - Cable connector



1590364

https://www.phoenixcontact.com/pc/products/1590364

Technical data

Product properties

Product type	Circular connector (cable-side)
Series	HC
Application	Signal
Number of positions	26
Connection profile	26
Type of the screw connection	Pg13.5
Coding	N
Thread type	M27

Connection data

Conductor connection

Connection method	Solder connection
-------------------	-------------------

Electrical properties

Contact

Contact diameter	1 mm
Max. current	8 A
Nominal voltage U _N	150 V
Overvoltage category	II
Degree of pollution	3
Rated surge voltage	1.5 kV

Mechanical properties

Mechanical data

Type of the screw connection	Pg13.5
------------------------------	--------

Connector

Туре	straight
Direction of rotation	Standard

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP67

HC-26S1N12R3DU - Cable connector




https://www.phoenixcontact.com/pc/products/1590364



Drawings

Schematic diagram



Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com