RC-06S1N1280T1 - Cable connector

1593788

https://www.phoenixcontact.com/lt/products/1593788

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



M23, Cable connector, straight, shielded: no, Screw locking mechanism, No. of pos.: 6, Direction of rotation: Standard, contact connection type: Socket, Solder cup, cable diameter range: 7.5 mm ... 9.5 mm, coding: N

Commercial data

Item number	1593788
Packing unit	20 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	ABR
Product key	ABRAAA
GTIN	4046356198110
Weight per piece (including packing)	70.31 g
Weight per piece (excluding packing)	70.31 g
Customs tariff number	74153300
Country of origin	DE

PHŒNIX

RC-06S1N1280T1 - Cable connector

1593788

https://www.phoenixcontact.com/lt/products/1593788



Technical data

Product properties


Product type	Circular connector (cable-side)
nnector	
Infector	
nsulating body	
Coding	Ν
Insertion/withdrawal cycles	50
Connection method	Solder cup
Contact switching type	Socket
Application	Signal
Number of positions	6
Direction of rotation	Standard
Connection profile	6
Contact diameter Power contacts	2 mm
Litz wire cross-section Power contacts min.	0.08 mm ²
Litz wire cross-section Power contacts max.	2.5 mm ²
Rated current Power contacts	20 A
Rated voltage	48 V AC
	74 V DC
Rated surge voltage	1.5 kV
Overvoltage category	III
Degree of pollution	3

Housing

Order information:	Order contact inserts separately
Housing material	Metal
Type of locking	Screw locking mechanism
Pg screw connection	none
Degree of protection (plugged in)	IP65
	IP67
	IP68
Thread type	M23

Seal

External cable diameter	7.5 mm 9.5 mm
Seal material	NBR




1593788 https://www.phoenixcontact.com/lt/products/1593788




Drawings

Schematic diagram



Connector pin assignment



1593788

https://www.phoenixcontact.com/lt/products/1593788

PHŒNIX CONTACT

Environmental product compliance

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact UAB Svitrigailos str. 11B 03228 Vilnius +370 5 2106321 balticinfo@phoenixcontact.com