

1601016

https://www.phoenixcontact.com/us/products/1601016

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

M23, Cable connector, series: RC, angled, shielded: yes, Screw locking mechanism, No. of pos. : 16, Direction of rotation: Standard, contact connection type: Socket, Solder cup, cable diameter range:  $3 \text{ mm} \dots 10.5 \text{ mm}$ , coding: N



#### Commercial data

Item number	1601016
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	AB31
Product key	ABRAFC
GTIN	4046356697613
Weight per piece (including packing)	151.97 g
Weight per piece (excluding packing)	139.91 g
Customs tariff number	85366990
Country of origin	DE



1601016

https://www.phoenixcontact.com/us/products/1601016

### Technical data

#### Product properties

Draduat tuma	Circular connector (achle cide)
Product type	Circular connector (cable-side)

#### Connector

#### Insulating body

Coding	N
Insertion/withdrawal cycles	50
Connection method	Solder cup
Contact switching type	Socket
Application	Signal
Number of positions	16
Direction of rotation	Standard
Connection profile	16
Contact diameter Power contacts	1 mm
Litz wire cross-section Power contacts min.	0.08 mm²
Litz wire cross-section Power contacts max.	1 mm²
Rated current Power contacts	8 A
Rated voltage	48 V AC
	74 V DC
Rated surge voltage	1.5 kV
Overvoltage category	III
Degree of pollution	3

#### Housing

Housing material	Metal
Type of locking	Screw locking mechanism
Pg screw connection	none
Degree of protection (plugged in)	IP67
Thread type	M23

#### Seal

External cable diameter	3 mm 10.5 mm
Seal material	NBR




https://www.phoenixcontact.com/us/products/1601016



### Drawings

Schematic diagram



Connector pin assignment



1601016

https://www.phoenixcontact.com/us/products/1601016

### Classifications

	ECLASS-11.0	27440102
	ECLASS-11:0	27440102
ETIM		
	ETIM 8.0	EC002635
UNSPSC		
	UNSPSC 21.0	39121400



1601016

https://www.phoenixcontact.com/us/products/1601016

### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com