

1604561

https://www.phoenixcontact.com/us/products/1604561

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Unshielded cable clamp type cage, shielded: no, cable diameter range: 2 mm ... 10.5 mm, series: NC, RC, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0. 1 %) item no.: 1241812

## Commercial data

Item number	1604561
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AB31
Product key	ABRAFU
GTIN	4046356249881
Weight per piece (including packing)	9.8 g
Weight per piece (excluding packing)	7 g
Customs tariff number	39269097
Country of origin	DE



1604561

https://www.phoenixcontact.com/us/products/1604561

## Technical data

## Product properties

Product type	Cable clamp type cage
Series	NC
	RC
Type of the screw connection	universal without shield
Shielded	no

### Cable/line

External cable diameter	2 mm 10.5 mm

## Mechanical properties

#### Mechanical data



1604561

https://www.phoenixcontact.com/us/products/1604561

## Classifications

UNSPSC 21.0

### **ECLASS**

ECLASS-11.0	27144432
ECLASS-12.0	27140801
ECLASS-13.0	27140801
ETIM	
ETIM 9.0	EC000441
UNSPSC	

39121300



1604561

https://www.phoenixcontact.com/us/products/1604561

## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	b592494a-076a-43b5-957b-558eec6fadb2

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com