

1604969

https://www.phoenixcontact.com/pc/products/1604969

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



HEAVYCON sleeve housing D25, for single locking latch, height 72 mm, with support 1 M25, lateral conductor exit

Commercial data

Item number	1604969
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	BF7AAE
Catalog page	Page 575 (PC-2011)
GTIN	4017918881573
Weight per piece (including packing)	220.28 g
Weight per piece (excluding packing)	220.28 g
Customs tariff number	85389099
Country of origin	DE



https://www.phoenixcontact.com/pc/products/1604969



Technical data

Notes

General For contact inserts HC-D25, A16

Product properties

Туре	D25
Product type	Housing with locking latch
Application	Standard
No. of cable outlets	1
Type of the screw connection	1x M25
Housing type	Sleeve housing
Shielded	no
Cable outlet	lateral
Pg screw connection	none

Dimensions

Dimensional drawing	79,5
Width	36 mm
Height	72 mm
Length	79.5 mm

Material specifications

Seal material	NBR
Housing surface material	Powder-coated, gray
Housing material	die-cast aluminum

Mechanical properties

Mechanical data

Type of the screw connection	1x M25
Locking type	Pin

Environmental and real-life conditions

Ambient conditions

•	7 this of the conditions	
	Degree of protection	IP65
	Ambient temperature (operation)	-40 °C 125 °C





https://www.phoenixcontact.com/pc/products/1604969



Drawings

Dimensional drawing





Dimensional drawing



1604969

https://www.phoenixcontact.com/pc/products/1604969

Classifications

ECLASS

	ECLASS-11.0	27440202
	ECLASS-13.0	27440202
UNSPSC		
	UNSPSC 21.0	31261501



https://www.phoenixcontact.com/pc/products/1604969



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com