

# TU-0000000WB00 - Panel mounting base



1605893

<https://www.phoenixcontact.com/us/products/1605893>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Panel mounting base, straight, Bayonet locking, M23, Axial O-ring, 4x Ø 3.2, shielded: yes, panel thickness min.: 1.5 mm, cable diameter range: 0 mm ... 0 mm, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1242021

## Commercial data

Item number	1605893
Packing unit	40 pc
Minimum order quantity	40 pc
Sales key	AB31
Product key	ABRAHP
GTIN	4046356255516
Weight per piece (including packing)	37.74 g
Weight per piece (excluding packing)	37.74 g
Customs tariff number	85366990
Country of origin	DE

# TU-0000000WB00 - Panel mounting base



1605893

<https://www.phoenixcontact.com/us/products/1605893>

## Technical data


### Product properties

Product type	Panel mounting base
Connection profile	12
Application	Signal
Series	TU
Shielded	yes
Thread type	M23

### Connection data

Connection method	Crimp connection
-------------------	------------------

### Dimensions

Dimensional drawing	
Length of the solder pin	16.5 mm
	9 mm
	16.5 mm
	9 mm

### Material specifications

Seal material	FPM or NBR or EPDM
Housing material	Turned parts: copper zinc alloy (CuZn), die-cast parts: zinc (GD-Zn)
Gasket and O-ring material	FPM
Housing material	Metal

### Connector

Type	straight
------	----------

### Cable/line

External cable diameter	0 mm ... 0 mm
-------------------------	---------------

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP67
Ambient temperature (operation)	-20 °C ... 125 °C
Altitude	2000 m

# TU-0000000WB00 - Panel mounting base



1605893

<https://www.phoenixcontact.com/us/products/1605893>

## Mounting

Mounting	4x Ø 3.2
Panel thickness	> 1.5 mm


# TU-0000000WB00 - Panel mounting base

1605893

<https://www.phoenixcontact.com/us/products/1605893>


## Drawings

Dimensional drawing



## Housing bore holes

Dimensional drawing



Dimensional drawing

# TU-0000000WB00 - Panel mounting base



1605893

<https://www.phoenixcontact.com/us/products/1605893>

## Classifications

### ECLASS

ECLASS-11.0	27440224
ECLASS-12.0	27440224
ECLASS-13.0	27440224

### ETIM

ETIM 8.0	EC000437
----------	----------

### UNSPSC

UNSPSC 21.0	31261500
-------------	----------

# TU-0000000WB00 - Panel mounting base



1605893

<https://www.phoenixcontact.com/us/products/1605893>

## Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)