

1606993

https://www.phoenixcontact.com/us/products/1606993

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Contact insert, M23, number of positions: 6, contact connection type: Pin, Solder-in connection, series: RC, TU, UC, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1242196

Commercial data

Item number	1606993
Packing unit	10 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	AB31
Product key	ABRAFU
GTIN	4046356275835
Weight per piece (including packing)	14.24 g
Weight per piece (excluding packing)	8.8 g
Customs tariff number	85366990
Country of origin	DE



1606993

https://www.phoenixcontact.com/us/products/1606993

Technical data

Product properties

Product type	Contact insert
Series	RC
	TU
	UC
Application	Signal
Number of positions	6
Connection profile	6
Coding	N
Thread type	M23

Electrical properties

Contact

Contact diameter	2 mm
Max. current	20 A
Overvoltage category	III
Degree of pollution	3
Rated surge voltage	1.5 kV

Connection data

Connection method	Solder-in connection
-------------------	----------------------

Material specifications

Insulator material	PBT
Contact material	CuZn
Contact surface	Nickel-plated, gold coating

Connector

Direction of rotation	Standard
-----------------------	----------

Mechanical properties

Mechanical data

land the facility of the desired and the	100
Insertion/withdrawal cycles	100




https://www.phoenixcontact.com/us/products/1606993



Drawings

Drilling plan/solder pad geometry





1606993

https://www.phoenixcontact.com/us/products/1606993

Classifications

UNSPSC 21.0

ECLASS

27440223
27440223
27440223
EC003557

39121400



1606993

https://www.phoenixcontact.com/us/products/1606993

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	f6b5c337-335f-4dac-9c19-c6eb9a4e32aa

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com