

HC-CST-MOD - Coding element



1636127

<https://www.phoenixcontact.com/pc/products/1636127>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Coding peg for coding up to 16 connectors, for HC Modular

Commercial data

Item number	1636127
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	BF7ABZ
Catalog page	Page 657 (C-2-2019)
GTIN	4017918963057
Weight per piece (including packing)	1.96 g
Weight per piece (excluding packing)	1.89 g
Customs tariff number	73181558
Country of origin	CN

1636127

<https://www.phoenixcontact.com/pc/products/1636127>

Technical data

Product properties

Product type	Coding element
--------------	----------------


Mounting

Assembly note	Coding pins and sockets are required for the modules HC-M-DSUB.... and HC-M-25-MOD...
---------------	---

Material specifications

Material	Steel, galvanized
----------	-------------------

Dimensions


Dimensional drawing	
Width	4.3 mm
Height	4.3 mm
Length	23.2 mm

Notes


Notes on operation	Prevents most cases of the connector being inserted at an angle
--------------------	---

Drawings

Circuit diagram




Dimensional drawing



Dimensional drawing

Circuit diagram



1636127

<https://www.phoenixcontact.com/pc/products/1636127>

Classifications

ECLASS

ECLASS-11.0	27440203
ECLASS-12.0	27440203
ECLASS-13.0	27440203

ETIM

ETIM 9.0	EC002311
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

1636127

<https://www.phoenixcontact.com/pc/products/1636127>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com