

1656495

https://www.phoenixcontact.com/pc/products/1656495

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Mounting frame, for two front plates or sockets, metal frame, matt nickel-plated, electrically conductive, transparent cover



Commercial data

Item number	1656495
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BF7EAX
Catalog page	Page 708 (C-2-2019)
GTIN	4046356029865
Weight per piece (including packing)	394 g
Weight per piece (excluding packing)	369 g
Customs tariff number	85389099
Country of origin	DE



https://www.phoenixcontact.com/pc/products/1656495




Technical data

Notes

	General	With lockable pressure lock
Product properties		
	Product type	Mounting frame
	Туре	for 2 front plates

Dimensions



Material Housing	Zinc alloy
Flammability rating according to UL 94	V0

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-10 °C 60 °C
Ambient temperature (storage/transport)	-25 °C 70 °C

Mounting


Assembly instructions	Suitable for panel thicknesses 1 mm 5 mm



https://www.phoenixcontact.com/pc/products/1656495



Drawings




Dimensional drawing



https://www.phoenixcontact.com/pc/products/1656495



Dimensional drawing



Mounting cutout



1656495

https://www.phoenixcontact.com/pc/products/1656495

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27182702
	ECLASS-13.0	27182806
ETIM		
	ETIM 9.0	EC000456
UNSPSC		

31261500



1656495

https://www.phoenixcontact.com/pc/products/1656495

Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com