

1657766

<https://www.phoenixcontact.com/pc/products/1657766>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Front plate with contact inserts, plastic with shroud, 2x RJ socket/socket



Commercial data

Item number	1657766
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BF7EDX
Catalog page	Page 709 (C-2-2019)
GTIN	4046356118705
Weight per piece (including packing)	45.1 g
Weight per piece (excluding packing)	44.01 g
Customs tariff number	85366990
Country of origin	TW

1657766

<https://www.phoenixcontact.com/pc/products/1657766>

Technical data


Product properties

Product type	Data front plate
Number of slots	2
Type	Female/Female

Electrical properties

Rated voltage (III/3)	50 V
Rated current	1 A

Dimensions

Dimensional drawing	
Width	51 mm
Height	45 mm
Length	87.5 mm

Material specifications

Material Front plate	PBT
Flammability rating according to UL 94	V0

Environmental and real-life conditions

Ambient conditions	
Degree of protection	IP20
Ambient temperature (operation)	-10 °C ... 60 °C

Mounting

Assembly instructions	suitable for all mounting frames
-----------------------	----------------------------------

VS-SI-FP-2RJ45-5-MOD-BU/BU - Front plate


1657766

<https://www.phoenixcontact.com/pc/products/1657766>



Drawings

Dimensional drawing



Dimensional drawing


VS-SI-FP-2RJ45-5-MOD-BU/BU - Front plate

1657766

<https://www.phoenixcontact.com/pc/products/1657766>



Schematic diagram



VS-SI-FP-2RJ45-5-MOD-BU/BU - Front plate



1657766

<https://www.phoenixcontact.com/pc/products/1657766>

Classifications

ECLASS

ECLASS-11.0	27182806
ECLASS-12.0	27182806
ECLASS-13.0	27182806

ETIM

ETIM 9.0	EC000456
----------	----------

UNSPSC

UNSPSC 21.0	39121300
-------------	----------

VS-SI-FP-2RJ45-5-MOD-BU/BU - Front plate



1657766

<https://www.phoenixcontact.com/pc/products/1657766>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com