

https://www.phoenixcontact.com/pc/products/1672754



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

HEAVYCON panel mounting base D25, with single locking latch, height 26 mm, with cover



Commercial data

Item number	1672754
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	BF7AAE
Catalog page	Page 509 (C-4-2015)
GTIN	4017918152536
Weight per piece (including packing)	183.3 g
Weight per piece (excluding packing)	183.3 g
Customs tariff number	85389099
Country of origin	DE



https://www.phoenixcontact.com/pc/products/1672754



Technical data

Notes

	General	For contact inserts HC-D25, A16
--	---------	---------------------------------

Product properties

Product type	Housing with locking latch
Application	Standard
Туре	D25
Housing type	Panel mounting base
Protective cover	yes
Shielded	no
Pg screw connection	none

Dimensions

Dimensional drawing	03.4
Width	30.5 mm
Height	26 mm
Length	96 mm

Installation dimensions

Width of the assembly cutout	24 mm
Length of the assembly cutout	74 mm

Material specifications

Seal material	NBR
	CR
Housing material	die-cast aluminum
Housing surface material	Powder-coated, gray
Material, protective cover	PA
Locking latch material	Steel, galvanized

Mechanical properties

Mechanical data

Mounting

Assembly instructions	The flat gasket is supplied closed. The required opening is not
	created until the assembly stage.

1672754

https://www.phoenixcontact.com/pc/products/1672754



Environmental and real-life conditions

Ambient conditions


Degree of protection	IP65 (When plugged in)
	IP54 (with closed protective cover)
Ambient temperature (operation)	-40 °C 125 °C

1672754

https://www.phoenixcontact.com/pc/products/1672754




Drawings



Mounting cutout

Dimensional drawing



Dimensional drawing



https://www.phoenixcontact.com/pc/products/1672754



Classifications

ECLASS

ECLASS-11.0	27440202
ECLASS-13.0	27440202

1672754

https://www.phoenixcontact.com/pc/products/1672754



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com