

1676909

https://www.phoenixcontact.com/us/products/1676909

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Pg pressure screw set, standard version; for housing with Pg29 support; consisting of pressure screw, notched seal and 2 washers



## Commercial data

Item number	1676909
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BF68
Product key	BF7DFX
Catalog page	Page 556 (C-4-2013)
GTIN	4017918129521
Weight per piece (including packing)	35.12 g
Weight per piece (excluding packing)	35.12 g
Customs tariff number	85369010
Country of origin	DE



1676909

https://www.phoenixcontact.com/us/products/1676909

## Technical data

## Product properties

Product type	Half screw connection
No. of conductors	1
Shielded	no
Pg screw connection	Pg29

#### **Dimensions**

Dimensional drawing	PG29
Wrench size, union nut	37 mm
Wienen eize, amerinat	37 111111
External dimensions	37 111111
	30 mm
External dimensions	

## Material specifications

Material Pressure screw	Brass, nickel-plated
Seal material Cable seal	Perbunan

## Cable/line

External cable diameter Cable 1	18 mm 27 mm

## Characteristics

Conductor sealing range	18.00 mm 27.00 mm

#### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP54
Ambient temperature (operation)	-20 °C 80 °C





https://www.phoenixcontact.com/us/products/1676909



## Drawings

## Dimensional drawing





Dimensional drawing



1676909

https://www.phoenixcontact.com/us/products/1676909

## Environmental product compliance

#### EU RoHS

otions
substances above the limits
above 0.1 wt%
: 6

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com