

MKDSN 1,5/ 4 OG - PCB terminal block



1701351

<https://www.phoenixcontact.com/pc/products/1701351>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

PCB terminal block, number of positions per row: 4, product range: MKDSN 1,5, pitch: 5 mm, screw head form: L Slotted, Pin layout: Linear pinning, Solder pin [P]: 3.5 mm, type of packaging: packed in cardboard



Commercial data

Item number	1701351
Packing unit	50 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	AALFHC
GTIN	4046356526746
Weight per piece (including packing)	3.952 g
Weight per piece (excluding packing)	3.536 g
Customs tariff number	85369010
Country of origin	DE

MKDSN 1,5/ 4 OG - PCB terminal block



1701351

<https://www.phoenixcontact.com/pc/products/1701351>

Technical data

Product properties

Product type	Printed circuit board terminal
Product family	MKDSN 1,5
Type	PC termination block
Number of positions	4
Pitch	5 mm
Pin layout	Linear pinning

Electrical properties

Rated voltage (II/2)	630 V
Rated voltage (III/2)	400 V
Rated surge voltage (II/2)	4 kV
Rated surge voltage (III/2)	4 kV
Rated surge voltage (III/3)	4 kV

Mounting

Mounting type	Wave soldering
Pin layout	Linear pinning
Drive form screw head	Slotted (L)

Material specifications

Insulating material group	I
Contact surface	Tin Sn

Dimensions

Dimensional drawing	
Width	20 mm
Height	13.5 mm
Installed height	10 mm
Length of the solder pin	3.5 mm
Length	8.1 mm
Length of the solder pin	3.5 mm
Hole diameter	1.3 mm
Pitch	5 mm

PCB design

Pin spacing	5 mm
-------------	------

MKDSN 1,5/ 4 OG - PCB terminal block



1701351

<https://www.phoenixcontact.com/pc/products/1701351>

Packaging specifications

Type of packaging	packed in cardboard
-------------------	---------------------


MKDSN 1,5/ 4 OG - PCB terminal block

1701351


<https://www.phoenixcontact.com/pc/products/1701351>

Drawings

Drilling plan/solder pad geometry



Dimensional drawing



MKDSN 1,5/ 4 OG - PCB terminal block



1701351

<https://www.phoenixcontact.com/pc/products/1701351>

Classifications

ECLASS

ECLASS-13.0	27460101
-------------	----------

MKDSN 1,5/ 4 OG - PCB terminal block



1701351

<https://www.phoenixcontact.com/pc/products/1701351>

Accessories

SZS 0,6X3,5 - Screwdriver

1205053

<https://www.phoenixcontact.com/pc/products/1205053>



Actuation tool, for ST terminal blocks, insulated, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

SK 5/3,8:FORTL.ZAHLEN - Marker card

0804183

<https://www.phoenixcontact.com/pc/products/0804183>



Marker card, white, labeled, horizontal: consecutive numbers 1 ... 10, 11 ... 20, etc. up to 91 ... (99)100, mounting type: adhesive, for terminal block width: 5 mm, lettering field size: 5 x 3.8 mm

MKDSN 1,5/ 4 OG - PCB terminal block



1701351

<https://www.phoenixcontact.com/pc/products/1701351>

SK 5/3,8:UNBEDRUCKT - Marker card

0805409

<https://www.phoenixcontact.com/pc/products/0805409>

Marker card, Sheet, white, unlabeled, can be labeled with: Marker pen: without print, mounting type: adhesive, for terminal block width: 5 mm, lettering field size: 5 x 3.8 mm, Number of individual labels: 120



B-STIFT - Marker pen

1051993

<https://www.phoenixcontact.com/pc/products/1051993>

Marker pen, for manual labeling of unprinted Zack strips, smear-proof and waterproof, line thickness 0.5 mm



Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com