

MC 1,5/ 4-G-3,5 THT P26 AU - PCB header



1706877

<https://www.phoenixcontact.com/pc/products/1706877>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



PCB headers, color: black, contact surface: Gold, number of positions: 4, product range: MC 1,5/..-G-THT, pitch: 3.5 mm, pin layout: Linear pinning, solder pin [P]: 2.6 mm, type of packaging: packed in cardboard

Commercial data

Item number	1706877
Packing unit	50 pc
Minimum order quantity	50 pc
Note	Made to order (non-returnable)
Product key	AAB1GJ
GTIN	4046356888981
Weight per piece (including packing)	2.469 g
Weight per piece (excluding packing)	1.002 g
Customs tariff number	85366930
Country of origin	DE

MC 1,5/ 4-G-3,5 THT P26 AU - PCB header



1706877

<https://www.phoenixcontact.com/pc/products/1706877>

Technical data

Product properties

Product type	PCB headers
Product family	MC 1,5/..-G-THT
Number of positions	4
Pitch	3.5 mm
Mounting flange	without
Pin layout	Linear pinning

Mounting

Pin layout	Linear pinning
------------	----------------

Material specifications

Color (Housing)	black (RAL 9005)
Contact surface	Gold Au

Dimensions

Installed height	8 mm
Length of the solder pin	2.6 mm
	2.6 mm
Pitch	3.5 mm

Packaging specifications

Type of packaging	packed in cardboard
Outer packaging type	Dry bag

MC 1,5/ 4-G-3,5 THT P26 AU - PCB header





1706877

<https://www.phoenixcontact.com/pc/products/1706877>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/pc/products/1706877>

 cULus Recognized Approval ID: E60425-20110128				
	Nominal voltage U_N	Nominal current I_N	Cross section AWG	Cross section mm^2
Use group B	300 V	8 A	-	-
Use group D	300 V	8 A	-	-

 VDE Zeichengenehmigung Approval ID: 40011723				
	Nominal voltage U_N	Nominal current I_N	Cross section AWG	Cross section mm^2
	160 V	8 A	-	-

MC 1,5/ 4-G-3,5 THT P26 AU - PCB header



1706877

<https://www.phoenixcontact.com/pc/products/1706877>

Classifications

ECLASS

ECLASS-11.0	27460201
ECLASS-12.0	27460201
ECLASS-13.0	27460201

ETIM

ETIM 8.0	EC002637
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

MC 1,5/ 4-G-3,5 THT P26 AU - PCB header



1706877

<https://www.phoenixcontact.com/pc/products/1706877>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com