Specifications



Eaton 171133

Eaton Moeller series xEffect - Busbar. Phase busbar, 3-phase, 25qmm, pin, 1m

General specifications	
PRODUCT NAME	Eaton Moeller series busbar
CATALOG NUMBER	171133
EAN	4015081676231
PRODUCT LENGTH/DEPTH	1009.8 mm
PRODUCT HEIGHT	56.8 mm
PRODUCT WIDTH	19.3 mm
PRODUCT WEIGHT	1.199 kg
COMPLIANCES	RoHS conform
MODEL CODE	Z-BB/UL25/3P1MU/57



Product specifications	
USED WITH	Z-BB/UL Busbar
ТҮРЕ	• Busbar • Z-BB/UL
FEATURES	Insulated Can be cut to size
ACCESSORY/SPARE PART TYPE	Busbar for miniature circuit breaker
ELECTRIC CONNECTION TYPE	Pin
RATED SURGE VOLTAGE	10 KV
RATED UNINTERRUPTED CURRENT (IU)	100 A
STATIC HEAT DISSIPATION, NON- CURRENT-DEPENDENT	0 W
SUITABLE FOR NUMBER OF DEVICES	0
APPLICATION	Switchgear for industrial and advanced commercial applications
NUMBER OF POLES	Three-pole
COLOR	Other
RATED SHORT-TIME WITHSTAND CURRENT (ICW)	0 kA
AMBIENT OPERATING TEMPERATURE - MAX	100 °C
AMBIENT OPERATING TEMPERATURE - MIN	-5 °C
CROSS SECTION	25 mm²
HEAT DISSIPATION CAPACITY	0 W
HEAT DISSIPATION PER POLE, CURRENT- DEPENDENT	0 W
NUMBER OF MODULAR SPACINGS	1
NUMBER OF PHASES	3
PITCH DIMENSIONS	17.6 mm
RATED OPERATIONAL VOLTAGE (UE) - MAX	600 V
RATED CONDITIONAL SHORT-CIRCUIT CURRENT (IQ)	0 kA
FUNCTIONS	Busbar
PITCH DIMENSIONS RATED OPERATIONAL VOLTAGE (UE) - MAX RATED CONDITIONAL SHORT-CIRCUIT CURRENT (IQ)	17.6 mm 600 V 0 kA
FUNCTIONS	Busbar

Resources DECLARATIONS OF CONFORMITY eaton-busbar-declaration-of-conformity-eu250213en.pdf

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.









