

Specifications

Eaton 171137



Eaton Moeller series xEffect - Busbar. Phase busbar, 1-phase+HS, 25qmm, pin, 1m

General specifications

PRODUCT NAME	Eaton Moeller series busbar
CATALOG NUMBER	171137
MODEL CODE	Z- BB/UL25/1P1MU+AUX/37
EAN	4015081676262
PRODUCT LENGTH/DEPTH	974.6 mm
PRODUCT HEIGHT	56.8 mm
PRODUCT WIDTH	19.3 mm
PRODUCT WEIGHT	0.66 kg
COMPLIANCES	RoHS conform
GLOBAL CATALOG	171137

Product specifications

USED WITH	Busbar Z-BB/UL
TYPE	<ul style="list-style-type: none"> • Busbar • Z-BB/UL
FEATURES	Insulated Can be cut to size
ACCESSORY/SPARE PART TYPE	Busbar for miniature circuit breaker
ELECTRIC CONNECTION TYPE	Pin
RATED SURGE VOLTAGE	10 kV
RATED UNINTERRUPTED CURRENT (IU)	100 A
STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0 W
SUITABLE FOR NUMBER OF DEVICES	0
APPLICATION	Switchgear for industrial and advanced commercial applications
NUMBER OF POLES	Single-pole
COLOR	Other
RATED SHORT-TIME WITHSTAND CURRENT (ICW)	0 kA
AMBIENT OPERATING TEMPERATURE - MAX	100 °C
AMBIENT OPERATING TEMPERATURE - MIN	-5 °C
CROSS SECTION	25 mm ²
HEAT DISSIPATION CAPACITY	0 W
HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT	0 W
NUMBER OF MODULAR SPACINGS	1
NUMBER OF PHASES	1
PITCH DIMENSIONS	26.4 mm
RATED OPERATIONAL VOLTAGE (UE) - MAX	1000 V
RATED CONDITIONAL SHORT-CIRCUIT CURRENT (IQ)	0 kA
FUNCTIONS	Busbar

Resources

DECLARATIONS OF CONFORMITY

eaton-busbar-declaration-of-conformity-eu250213en.pdf

SUITABLE FOR

Devices with auxiliary
switch

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:

**Eaton Corporation plc**

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the
latest product and support
information.

