

1762IQ8OW6

Allen-Bradley MicroLogix Expansion Module 8DI 24VDC 6DO
Relay



Component type	PLC digital I/O-module
Range	MicroLogix
Model	N/A
Product status	Existing

The Allen-Bradley MicroLogix™ 1400 programmable logic controllers are ideal for streamlining manufacturing processes. Available with EtherNet/IP™, on-line editing capability, built-in LCD panel, high I/O count, faster high speed counters, pulse train output, use of RSLogix500 and enhanced network capabilities. A user-friendly and scalable solution for controlling complex processes and machinery.

ELECTRICAL

Permitted voltage at input	10 - 30 V
Type of voltage (input voltage)	DC
Type of output voltage	AC/DC
Digital inputs configurable	No
Digital outputs configurable	No
Short-circuit protection, outputs available	No
Redundancy	No
Type of electric connection	Screw connection

CONSTRUCTION

Number of digital inputs	8.0
Suitable for safety functions	No
Time delay at signal exchange	8 ms

DIMENSIONS

Width	40.4 mm
Height	90.0 mm
Depth	87.0 mm

ENVIRONMENT

Operating temperature	0 - 55 °C
Storage temperature	-40 - 85 °C
Max. ambient humidity (non-condensing)	95.0 %