## HC-B 6-AML - Housing



https://www.phoenixcontact.com/pc/products/1771134



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



HEAVYCON B6 panel mounting base, with single locking latch, height: 29 mm, with flat gasket

### Commercial data

Item number	1771134
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	BF7AAC
Catalog page	Page 488 (C-4-2013)
GTIN	4017918035877
Weight per piece (including packing)	83.7 g
Weight per piece (excluding packing)	80 g
Customs tariff number	85389099
Country of origin	DE

# HC-B 6-AML - Housing



https://www.phoenixcontact.com/pc/products/1771134



## Technical data

#### Notes

General	For contact inserts HC-B6, BB10, DD24, M
---------	--

## Product properties

Туре	B6
Product type	Housing with locking latch
Application	Standard
Housing type	Panel mounting base
Shielded	no
Pg screw connection	none

#### **Dimensions**

Dimensional drawing	243
Width	43 mm
Height	29 mm
Length	80 mm
Installation dimensions	
Width of the assembly cutout	35 mm
Length of the assembly cutout	52 mm

## Material specifications

Seal material	NBR
	CR
Housing surface material	Powder-coated, gray
Locking latch material	Stainless steel, handle: PA
Housing material	die-cast aluminum

## Mechanical properties

Mechanical	data

Locking type Latch
--------------------

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP65 (When plugged in)
Ambient temperature (operation)	-40 °C 125 °C

## HC-B 6-AML - Housing

1771134

https://www.phoenixcontact.com/pc/products/1771134



Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com