

1771189

https://www.phoenixcontact.com/us/products/1771189

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Box mounting base, with single locking latch, height 52 mm, with screw connection, 2x Pg16, with protective covers

Commercial data

Item number	1771189
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BF55
Product key	BF7AAC
Catalog page	Page 572 (PC-2011)
GTIN	4017918035921
Weight per piece (including packing)	262.59 g
Weight per piece (excluding packing)	262.59 g
Customs tariff number	85389099
Country of origin	DE



https://www.phoenixcontact.com/us/products/1771189



Technical data

Product properties

Туре	B6
Product type	Housing with locking latch
Application	Standard
No. of cable outlets	2
Type of the screw connection	2x Pg16
Housing type	Box mounting bases
Protective cover	yes
Shielded	no
Cable outlet	lateral
Pg screw connection	with

Dimensions

Dimensional drawing	S 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Width	52 mm
Height	52 mm
Length	84 mm
Wrench size, union nut	22 mm

Material specifications

Material Screw connection	Brass, nickel-plated
Material Protective cover	PA
Seal material Cable seal	NBR
Housing surface material	Powder-coated, gray
Locking latch material	Stainless steel, handle: PA
Housing material	die-cast aluminum

Mechanical properties

Mechanical data

Type of the screw connection	2x Pg16
Locking type	Latch

Cable/line

External cable diameter (Cable 1)	7.5 mm 15 mm (Cable 1)
External cable diameter (Cable 2)	7.5 mm 15 mm (Cable 2)

Environmental and real-life conditions



1771189

https://www.phoenixcontact.com/us/products/1771189

Ambient conditions

Degree of protection	IP65 (When plugged in)
	IP54 (with closed protective cover)
Ambient temperature (operation)	-40 °C 125 °C





https://www.phoenixcontact.com/us/products/1771189



Drawings

Dimensional drawing





Dimensional drawing



1771189

https://www.phoenixcontact.com/us/products/1771189

Classifications

ECLASS

	ECLASS-11.0	27440202
	ECLASS-13.0	27440202
UN	NSPSC	
	UNSPSC 21.0	31261501



1771189

https://www.phoenixcontact.com/us/products/1771189

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com